

Name: STQ Testing Services Co., Ltd.

Address: Building 1, No.15, Yinzhu Road, Suzhou Industrial Park, Suzhou, Jiangsu, China

Registration No. CNAS L6481

Accreditation Criteria: ISO/IEC 17025:2005 and relevant requirements of CNAS

Effective Date: 2020-01-02 Expiry Date: 2022-10-21

SCHEDULE 3 ACCREDITED TESTING SCOPE

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
Electrical and Electronic equipment						
Electrical and Electronic equipment						
1	Electrical and Electronic equipment	1	Pb	Electrical and electronic products-Determination of six regulated substances(Lead,mercury,cadmium,hexavalent chromium,polybrominated biphenyls, polybrominated diphenylenyl ethers) GB/T 26125-2011	Accredited only for ICP-OES method	2018-09-12
				Determination of Lead ,Cadmium, Chromium and Mercury in electrical and electronic equipment. Part 4: Inductively coupled plasma atomic emission spectrometric method SN/T 2004.4-2006		2018-09-12
				Determination of certain substances in electrotechnical products – Part 5: Cadmium, lead and chromium in polymers and electronics and cadmium and lead in metals by AAS, AFS, ICP-OES and IC-MS IEC 62321-5:2013	Accredited only for ICP-OES method	2018-09-12
				Determination of certain substances in electrotechnical products – Part 5: Cadmium, lead and chromium in polymers and electronics and cadmium and lead in metals by AAS, AFS, ICP-OES and IC-	Accredited only for ICP-OES	2018-09-12



No. CNAS L6481

第 1 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				MS BS EN 62321-5:2014 EN 62321-5:2014	method	
		2	Hg	Electrical and electronic products-Determination of six regulated substances(Lead,mercury,cadmium,hexavalent chromium,polybrominated biphenyls, polybrominated diphenyl ether)s GB/T 26125-2011	Accredited only for ICP-OES method	2018-09-12
				Determination of Lead ,Cadmium, Chromium and Mercury in electrical and electronic equipment. Part 4: Inductively coupled plasma atomic emission spectrometric method SN/T 2004.4-2006		2018-09-12
				Determination of certain substances in electrotechnical products – Part 4: Mercury in polymers, metals and electronics by CV-AAS, CV-AFS, ICP-OES, ICP-MS IEC 62321-4:2013+A1:2017	Accredited only for ICP-OES method	2018-09-12
				Determination of certain substances in electrotechnical products – Part 4: Mercury in polymers, metals and electronics by CV-AAS, CV-AFS, ICP-OES, ICP-MS BS EN 62321-4:2014+A1:2017 EN 62321-4:2014+A1:2017	Accredited only for ICP-OES method	2018-09-12
		3	Cr	Determination of Lead ,Cadmium, Chromium and Mercury in electrical and electronic equipment. Part 4: Inductively coupled plasma atomic emission spectrometric method SN/T 2004.4-2006		2018-09-12
				Determination of certain substances in electrotechnical products – Part 5: Cadmium, lead and chromium in polymers and electronics and cadmium and lead in metals by AAS, AFS, ICP-OES and ICP-MS IEC 62321-5:2013	Accredited only for ICP-OES method	2018-09-12
				Determination of certain substances in electrotechnical products – Part 5: Cadmium, lead and chromium in polymers and electronics and cadmium and lead in metals by CV-AAS, CV-AFS, ICP-OES, ICP-MS BS EN 62321-5:2014 EN 62321-5:2014	Accredited only for ICP-OES method	2018-09-12
		4	Cd	Electrical and electronic products-Determination of six regulated substances(Lead,mercury,cadmium,hexavalent	Accredited only for	2018-09-12



No. CNAS L6481

第 2 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				chromium,polybrominated biphenyls, polybrominated diphenyl ether) GB/T 26125-2011	ICP-OES method	
				Determination of Lead ,Cadmium, Chromium and Mercury in electrical and electronic equipment. Part 4: Inductively coupled plasma atomic emission spectrometric method SN/T2004.4-2006		2018-09-12
				Plastics –determination of cadmium–wet decomposition EN 1122:2001	Accredited only for method B	2018-09-12
				Determination of certain substances in electrotechnical products – Part 5: Cadmium, lead and chromium in polymers and electronics and cadmium and lead in metals by CV-AAS, CV-AFS, ICP-OES, ICP-MS IEC 62321-5:2013	Accredited only for ICP-OES method	2018-09-12
				Determination of certain substances in electrotechnical products – Part 5: Cadmium, lead and chromium in polymers and electronics and cadmium and lead in metals by CV-AAS, CV-AFS, ICP-OES, ICP-MS BS EN 62321-5:2014 EN 62321-5: 2014	Accredited only for ICP-OES method	2018-09-12
		5	Chromium (VI)	Electrical and electronic products-Determination of six regulated substances (lead,mercury,cadmium,hexavalent chromium,polybrominated biphenyls,polybrominated diphenyl ether) GB/T 26125-2011	Accredited only for appendix B and C	2018-09-12
				Metallic and other inorganic coatings Chromate conversion coatings on zinc, cadmium, aluminium-zinc alloys and zinc-aluminium alloys-Test methods ISO 3613:2010		2018-09-12
				Determination of certain substances in electrotechnical products – Part 7-1: Hexavalent chromium – Presence of hexavalent chromium (Cr(VI)) incolourless and coloured corrosion-protected coatings on metals by thecolorimetric method IEC 62321-7-1:2015		2018-09-12
				Determination of certain substances in electrotechnical products – Part 7-1: Hexavalent chromium – Presence of hexavalent		2018-09-12



No. CNAS L6481

第 3 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				chromium (Cr(VI)) incolourless and coloured corrosion-protected coatings on metals by the colorimetric method BS EN 62321-7-1:2015 EN 62321-7-1:2015		
				Determination of certain substances in electrotechnical products – Part 7-2: Hexavalent chromium – Determination of hexavalent chromium (Cr(VI)) in polymers and electronics by the colorimetric method IEC 62321-7-2:2017 BS EN 62321-7-2:2017 EN 62321-7-2:2017		2018-09-12
		6	PBB,PBDEs	Electrical and electronic products-Determination of six regulated substances(Lead,mercury,cadmium,hexavalent chromium,polybrominated biphenyls, polybrominated diphenyl ethers) GB/T 26125-2011	Accredited only for annex A	2018-09-12
				Determination of certain substances in electrotechnical products – Part 6: Polybrominated biphenyls and polybrominated diphenyl ethers in polymers by gas chromatography–mass spectrometry (GC-MS) IEC 62321-6:2015		2018-09-12
				Determination of certain substances in electrotechnical products – Part 6: Polybrominated biphenyls and polybrominated diphenyl ethers in polymers by gas chromatography–mass spectrometry (GC-MS) BS EN 62321-6:2015 EN 62321-6:2015		2018-09-12
		7	PAHs (Naphthalene Acenaphthylene Acenaphthene Fluorene Phenanthrene Anthracene Fluoranthene Pyrene Benzo[a]anthracene Chrysene	Testing and Validation of Polycyclic Aromatic Hydrocarbons (PAH) in the course of GS-Mark Certification AfPS GS 2014:01 PAK		2018-09-12



No. CNAS L6481

第 4 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
			Benzo[b]fluoranthene Benzo[k]fluoranthene Benzo[a]pyrene Indeno[1,2,3-cd]pyrene Dibenzo[a,h]anthracene Benzo[g,h,i]perylene Benzo[j]fluoranthene Benzo[e]pyrene)			
		8	Phthalate (Dibutyl Phthalate, Benzylbutyl Phthalate, Di-(2-ethylhexyl)Phthalate, Di-isononylphthalate, Din-octylphthalate, Di-iso-decylphthalate)	Determination of Phthalates in used mechanical and electronic products SN/T 2689-2010		2018-09-12
				Determination of certain substances in electrotechnical products – Part 8: Phthalates in polymers by gas chromatography-mass spectrometry (GC-MS), gas chromatography-mass spectrometry using a pyrolyzer/thermal desorption accessory (Py/TD-GC-MS) IEC 62321-8:2017 BS EN 62321-8:2017 EN 62321-8:2017	Accredited only for GC-MS method	2018-09-12
		9	Hexabromocyclododecane (HBCDD)	Determination of hexabromocyclododecane in electrical and electronic products—Gas chromatography-mass spectrometry GB/T 29785-2013		2018-09-12
		10	Lead, mercury, cadmium, total chromium and total bromine	Determination of certain substances in electrotechnical products – Part 2: Disassembly, disjointment and mechanical sample preparation IEC 62321-2:2013 BS EN 62321-2:2014 EN 62321-2:2014		2018-09-12
				Determination of certain substances in electrotechnical products – Part 3-1: Screening - Lead, mercury, cadmium, total chromium and total bromine using by X-ray fluorescence spectrometry IEC 62321-3-1:2013 EN 62321-3-1:2014 BS EN 62321-3-1:2014		2018-09-12

No. CNAS L6481

第 5 页 共 35 页



The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
		11	Halogen (fluorine, chlorine, bromine, iodine) content	Characterization of waste. Halogen and sulfur content. Oxygen combustion in closed systems and determination methods EN 14582:2016		2018-09-12
Battery						
1	Battery	1	Pb,Cd,Hg	Determination of mercury, cadmium and lead in battery GB/T 20155-2006		2018-09-12
Toys and Children's Products						
Toys and Children's Products						
1	Toys and Children's Products	1	Mechanical and physical properties	Safety of toys-Part 2:Mechanical and physical properties GB6675.2-2014 4.1 Normal use, 4.2 Reasonable foreseeable abuse, 4.3.1 Material quality, 4.4 Small parts, 4.6 Edges, 4.7 Points 4.8 Projections 4.9 Metal wires and rods 4.10 Plastic film or plastic bags in packaging or in toys, 4.13 Holes,clearances and accessibility of mechanism		2018-09-12
				Instructions for use of products of consumer interest-Part 5:Toys GB/T 5296.5-2006		2018-09-12
				Toy safety part 1 mechanical and physical properties ISO 8124.1:2014 4.1Normal use, 4.2 Reasonable foreseeable abuse, 4.3.1 Material quality, 4.4 Small parts, 4.5 Shape,size and strength of certain toys, 4.6 Edges, 4.7 Points, 4.8Projections, 4.9 Metal wires and rods, 4.13Holes,clearances and accessibility of mechanism	Obsolete standard, no change applied this time.	2020-01-02
				Toy safety--Part 1: Mechanical and physical properties EN 71-1:2014, BS EN71-1:2014 4.1Material cleanliness, 4.2Assembly, 4.3 Flexible plastic sheeting, 4.4 Toy bags, 4.5 Glass, 4.6 Expanding materials, 4.7 Edges, 4.8 Points and metallic wires, 4.9 Protuding parts, 4.12 Balloons, 4.22 Small balls, 5.1 General requirements, 5.2 Soft-filled toys and soft-filled parts of a toy, 5.3	(1)Exept for 4.8 the Flexibility of metallic wires.(2)Ob	2020-01-02



No. CNAS L6481

第 6 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				Plastic sheeting, 5.7 Glass and porcelain, 5.8 Shape and size of certain toys, 5.9 Toys comprising monofilament fibres, 5.10 Small ball, 5.11 Play figures, 6 Packaging, 7 Warnings, markings and instructions for use	solete standard, no change applied this time.	
				Child use and care articles. Drinking equipment. General and mechanical requirements and tests BS EN 14350-1:2004 5.1 General, 5.2 Visual and tactile examination, 5.3 Small parts, 5.4 Volume, 5.6 Additional requirements for re-ueable products, 5.7 Additional requirements for sealing discs, 5.8 Requirements for matched components, 5.9 Requirements for protrusions, 5.10 Requiements for straws		2020-01-02
				Child use and care articles - Cutlery and feeding utensils -Safety requirements and tests EN 14372:2004 5.1 General, 5.2 General requirements, 5.2.1 Visual and tactile examination, 5.2.2 Sharp points, 5.2.3 Sharp edges, 5.2.4 Small parts, 5.2.5 Holes(Finger traps), 5.2.6 Printed decorations, 5.3 Mechanical requirements, 5.3.2 Torque test, 5.3.3 Tear resistance, 5.3.5 Drop test		2020-01-02
				Consumer Safety Specification for Toy Safety ASTM F963-17 4.1 Material Quality, 4.6 Small Objects, 4.7 Accessible Edges, 4.8 Projections, 4.9 Accessible Points, 4.10 Wires or Rods, 4.11 Nails and Fasteners, 4.12 Plastic Film, 4.17 Wheels, Tires, and Axles, 4.18 Holes, Clearances, and Accessibility of Mechanisms	Except for 4.6.2 Mouth-Actuated Toys	2020-01-02
				Consumer Safety Specification for Toy Safety ASTM F963-17 4.24Squeeze Toys, 4.26 Toys Intended to be Attached to a Crib or Playen, 4.27Stuffed and Beanbag-Type Toys, 4.31 Balloons, 4.32 Certain Toys with Nearly Spherical Ends, 4.33 Marbles, 4.34 Ball, 4.35 Pompoms		2018-09-12
				Consumer Safety Specification for Toy Safety ASTM F963-17 5 Safety Labeling Requirements, 6 Instructional Literature, 7		2018-09-12



No. CNAS L6481

第 7 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				Producer's Markings		
				U.S. Code of Federal Regulations 16 CFR 1501		2020-01-02
				U.S. Code of Federal Regulations CPSC 16 CFR 1500.19,1500.48,1500.49,1500.50,1500.51,1500.52,1500.53,1511		2020-01-02
		2	Flammability	Safety of toys-Part 3:Flammability GB 6675.3-2014	Except for flammable gases, highly flammable liquids, flammable liquids, and flammable gels.	2020-01-02
				Safety of toys. Part 2:Flammability ISO 8124.2-2014	Except for Flammable gases, extremely flammable liquids, high flammable liquids, flammable liquids & flammable gels	2018-09-12



No. CNAS L6481

第 8 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

在线扫码获取验证

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				Safety of toys — Part 2 Flammability EN 71-2:2011 +A1: 2014, BS EN 71-2:2011+A1:2014	Except for Flammable gases, extremely flammable liquids, high flammable liquids, flammable liquids & flammable gels	2018-09-12
				Consumer Safety Specification for Toy Safety ASTM F963-17 section 4.2	Except for flammability test for fabrics	2020-01-02
		3	Souble Heavy metal (Pb/Cd/Cr/Ba/Se/Sb/Hg/As)	Safety of toys-Part 4:Migration of certain elements GB 6675.4-2014		2018-09-12
				Safety requirements of soothers for babies and young children GB 28482-2012 9.2		2018-09-12
				Safety of toys -- Part 3: Migration of certain elements ISO 8124.3:2010+A1:2014 8.1-8.6		2018-09-12
				Standard Consumer Safety Specification for Toy Safety ASTM F963-17 4.3.5.1(2) 4.3.5.2(2)(b) ,8.3		2018-09-12
				Australia/New Zealand Standard Safety of Toys Part 3: Migration of Certain Elements AS/NZS ISO 8124.3:2012+A1:2016 8.1-8.6		2018-09-12
				Toy Safety Standard Part 3 : Chemical Properties ST2016 Part 3 2.7		2018-09-12



No. CNAS L6481

第 9 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
		4	Souble Heavy metal (Pb/Cd)	Product Safety Laboratory Reference Manual Book 5 – Laboratory Policies and Procedures Part B : Test Methods Section, Method C08 Determination of Migratable Lead and Cadmium in Consumer Products (2014-01-06) CanadianC08 (2014-01-06)		2018-09-12
		5	Souble Heavy metal (Al、Sb、As、Ba、B、Cd、Cr3+、Cr6+、Co、Cu、Pb、Mn、Hg、Ni、Se、Sr、Sn、Zn)	Safety of toysPart 3: Migration of certain elements EN 71-3:2013+A2:2017		2018-09-12
		6	Souble Heavy metal (Cd/Ba/Se/Sb/As)	Product Safety Laboratory Reference Manual Book 5 – Laboratory Policies and Procedures Part B : Test Methods Section Method C03 Determination of Leachable Arsenic (As), Selenium (Se), Cadmium (Cd), Antimony (Sb) and Barium (Ba) in Applied Coating Canadian C-03 (2014-02-20)		2018-09-12
		7	Souble Cd	Standard Operating Procedure for Determining Cadmium (Cd) Extractability from Children's Metal Jewelry CPSC-CH-E1004-11		2018-09-12
		8	Souble Organic Tin	Safety of toysPart 3: Migration of certain elements Accredited only for appendix G EN 71-3:2013+A2:2017 Annex G		2018-09-12
		9	Total Lead	Limit of Harmful substance of coatings for toys GB 24613-2009 appendix A		2018-09-12
				Standard operating procedure for determining Total lead (Pb) in children's metal products (including children's metal jewelry) CPSC-CH-E1001-08.3(2012)	Except for Clause:XR F method	2018-09-12
				Standard operating Procedure for Determining Total Lead (Pb) in Nonmetal Children's Product CPSC-CH-E1002-08.3(2012)	Except for Clause:XR	2018-09-12



No. CNAS L6481

第 10 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
					F method	
				Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings CPSC-CH-E1003-09.1(2011)		2018-09-12
				Standard Practice for Preparation of Dried Paint Samples by Hotplate or Microwave Digestion for Subsequent Lead Analysis ASTM E1645-2016		2018-09-12
				Standard Consumer Safety Specification for Toy Safety ASTM F963-17 4.3.5.1(1) ,4.3.5.2(2)(a)		2018-09-12
				Product Safety Laboratory Reference manual Book 5 - Laboratory Policies and Procedures Part B: Test methods Section, Method C-02.4 Determination of Total Lead and Cadmium in Metallic Consumer Products by flame atomic absorption spectrometer (2017-07-27)	Accredited only for hotplate Digestion	2018-09-12
				Product Safety Laboratory Reference manual Book 5- laboratory Policies and procedures Part B: Test Methods Section,Method C-02.3 Determination of Total Lead in Polyvinyl Chloride Products by Closed Vessel Microwave Digestion (2017-07-27)		2018-09-12
		10	Total Cadmium	Product Safety Laboratory reference manual Book 5 - Laboratory Policies and Procedures Part B: Test methods Section, Method C-02.4 Determination of Total Lead and Cadmium in Metallic Consumer Products by flame atomic absorption spectrometer (2017-07-27)	Accredited only for hotplate Digestion method	2018-09-12
		11	Phthalate (Dibutyl Phthalate,Benzylbutyl Phthalate,Di-(2-ethylhexyl)Phthalate ,Di-isononylphthalate,Di-	Determination of certain phthalate ester in toys and children's products GB/T 22048-2015		2018-09-12
				Child use and care articles - Cutlery and feeding utensils - Safety requirements and tests EN 14372:2004 6.3.2		2018-09-12
				Child use and care articles - Soother holder - Safety requirements and test methods EN 12586:2007 +A1:2011 Annex C		2018-09-12



No. CNAS L6481

第 11 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
			n-octylphthalate,Di-iso-decylphthalate)	Standard Operating Procedure for Determination of Phthalates CPSC-CH-C1001-09.3(2010)		2016-09-12
				Product Safety laboratory Book 5 - Laboratory Policies and Procedures Part B: Test Methods Section, Method C34 Determination of Phthalates in Polyvinyl Chloride Consumer Products. (2012-11-08)		2018-09-12
		12	phthalate(DIBP/DBP/DPENP/DHEXP/BBP/DEHP/DCHP/DINP)	Standard Operating Procedure for Determination of Phthalates CPSC-CH-C1001-09.4(2018)		2018-09-12
		13	Plasticizer (migration) (Triphenyl phosphate,Tri-o-cresyl phosphate,Tri-m-cresyl phosphate,Tri-p-cresyl phosphate)	Safety of Toys,Part 10: Organic chemical compounds - Sample preparation and extraction EN 71-10:2005		2018-09-12
				Safety of toys -Part 11: Organic chemical compounds - Methods of analysis EN 71-11:2005 clause 5.8		2018-09-12
		14	Primary aromatic amine(Benzidine,2-Naphthylamine,4-Chloroaniline,3,3'-Dichlorobenzidine,3,3'-Dimethoxybenzidine,3,3'-Dimethylbenzidine,o-Toluidine,2-Methoxyaniline (o-	Safety of Toys,Part 10: Organic chemical compounds - Sample preparation and extraction EN 71-10:2005 clause 8.1.4,8.2.2		2018-09-12
				Safety of toys -Part 11: Organic chemical compounds - Methods of analysis EN71-11:2005 clause 5.4		2018-09-12



No. CNAS L6481

第 12 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
			Anisidine),Aniline)			
		15	Formaldehyde	Textiles -- Determination of formaldehyde -- Part 1: Free and hydrolyzed formaldehyde (water extraction method) ISO 14184-1:2011(E) Paper and Board Intended to Come into Contact with Foodstuffs - Preparation of a Cold Water Extract EN 645:1993 Paper and Board Intended to Come into Contact with Foodstuffs - Determination of Formaldehyde in an Aqueous EN 1541:2001 Wood-based panels. Determination of formaldehyde release. Formaldehyde release by the flask method EN 717-3:1996	Except for ISO 14184-1 section 8.7 Except for EN 645 section 7	2018-09-12 2018-09-12 2018-09-12 2018-09-12
		16	pH value	General methods of test for pigments and extenders - Part 9: Determination of pH value of aqueous suspension EN ISO 787-9:1995		2018-09-12
		17	Content of volatile chemicals	Safety requirement of soothers for babies and young children GB 28482-2012 9.6 Child use and care articles - Drinking equipment - Part 2:Chemical requirements and tests EN 14350-2:2004 4.9 Child use and care articles - Cutlery and feeding utensils -Safety requirements and tests EN 14372:2004 5.4.2.4		2018-09-12 2018-09-12 2018-09-12
		18	Bisphenol A (BPA)	Child use and care articles - Cutlery and feeding utensils -Safety requirements and tests EN 14372:2004 6.3.6		2018-09-12
Food contact material						
Ceramic/Glass						
1	Ceramic/Glass	1	Leachable lead	National food safety standard determination of lead in foods GB 5009.12-2010	Accredited only for the third	2016-09-12

No. CNAS L6481

第 13 页 共 35 页



The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
					method	
				Standard Test Method for Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels ASTM C927-80 (2014)		2018-09-12
				Silicate surfaces in contact with foodstuffs Determination of the release of lead and cadmium from ceramic ware DIN EN 1388-1:1995		2018-09-12
				Specification for Limits of metal release from ceramic ware, glassware, glass ceramic ware and vitreous enamel ware BS 6748:1986 +A1:2011		2018-09-12
				Lead and Cadmium extracted from ceramicware AOAC 973.32:2005		2018-09-12
				On the approximation of the laws of the member states relating to ceramic articles intended to come into contact with foodstuffs 84/500/EEC&2005/31/EC		2018-09-12
				Pottery(ceramics);Imported and Domestic - Lead Contamination FDA CPG7117.07:2005		2018-09-12
				Materials in contact with foodstuffs—glass-crystal-ceramics-vitreous ceramics enameled objects DGCCRF2004-64	Accredited only for glass and ceramics	2018-09-12
		2	Lead Migration	National Food Safety Standards - Food Contact Materials and Products - Determination of Lead and Lead extracted GB 31604.34-2016	Accredited only for the second method and the third method in the second part	2018-09-12



No. CNAS L6481

第 14 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				contact materials and articles— Determination of arsenic, cadmium, chromium, lead and migration of arsenic, cadmium, chromium, nickel, lead, antimony and zinc GB 31604.49-2016		2018-09-12
		3	Leachable Cadmium	Standard Test Method for Lead and Cadmium Extracted from the Lip and Rim Area of Glass Tumblers Externally Decorated with Ceramic Glass Enamels ASTM C927-80 (2014)		2018-09-12
				Silicate surfaces in contact with foodstuffs Determination of the release of lead and cadmium from ceramic ware Part 1: Determination of the release of lead and cadmium from ceramic ware DIN EN 1388-1:1995		2018-09-12
				Specification for Limits of metal release from ceramic ware, glassware, glass ceramic ware and vitreous enamel ware BS 6748:1986 +A1:2011		2018-09-12
				Lead and Cadmium extracted from ceramic ware AOAC 973.32:2005		2018-09-12
				On the approximation of the laws of the member states relating to ceramic articles intended to come into contact with foodstuffs 84/500/EEC&2005/31/EC		2018-09-12
				Pottery(ceramics);Imported and Domestic - Cadmium Contamination FDA CPG7117.06:2005		2018-09-12
				Materials in contact with foodstuffs--glass-crystal-ceramics-vitreous ceramics enameled objects DGCCRF2004-64	Accredited only for glass and ceramics	2018-09-12
				National Food Safety Standards - Food Contact Materials and Products - Determination of Cadmium extracted GB 31604.24-2016	Accredited only for the second and third method	2018-09-12



No. CNAS L6481

第 15 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				National standard for food safety—Food contact materials and articles— Determination of arsenic, cadmium, chromium, lead and migration of arsenic, cadmium, chromium, nickel, lead, antimony and zinc GB 31604.49-2016		2018-09-12
Coated enamel						
1	Coated enamel	1	Leachable Lead	Standard Test Method for Lead and Cadmium Extracted from Glazed Ceramic Surfaces ASTM C738-94 (2016)		2018-09-12
		2	Leachable Cadmium	Standard Test Method for Lead and Cadmium Extracted from Glazed Ceramic Surfaces ASTM C738-94 (2016)		2018-09-12
Silicate surface						
1	Silicate surface	1	Leachable Lead	Silicate surfaces in contact with foodstuffs Determination of the release of lead and cadmium from silicate surfaces other than ceramic ware Part 2: Determination of the release of lead and cadmium from silicate surfaces other than ceramic ware DIN EN 1388-2:1995		2018-09-12
		2	Leachable Cadmium	Silicate surfaces in contact with foodstuffs Determination of the release of lead and cadmium from silicate surfaces other than ceramic ware Part 2:Determination of the release of lead and cadmium from silicate surfaces other than ceramic ware DIN EN 1388-2:1995		2018-09-12
enamel						
1	enamel	1	Leachable Lead	National Food Safety Standards - Food Contact Materials and Products - Determination of Lead and Lead extracted GB 31604.34-2016	Accredited only for the second method and the third method in the second	2018-09-12



No. CNAS L6481

第 16 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				National standard for food safety—Food contact materials and articles— Determination of arsenic, cadmium, chromium, lead and migration of arsenic, cadmium, chromium, nickel, lead, antimony and zinc GB 31604.49-2016	part	2018-09-12
				National Food Safety Standards - Food Contact Materials and Products - Determination of Cadmium extracted GB 31604.24-2016	Accredited only for the second method and the third method	2018-09-12
		2	Leachable Cadmium	National standard for food safety—Food contact materials and articles— Determination of arsenic, cadmium, chromium, lead and migration of arsenic, cadmium, chromium, nickel, lead, antimony and zinc GB 31604.49-2016		2018-09-12
paper and paperboard						
1	Paper and paperboard	1	Chloroform soluble extract	Components of paper and paperboard in contact with aqueous and fatty foods FDA 21 CFR 176.170		2018-09-12
		2	Formaldehyde	Paper and board intended to come into contact with foodstuffs-Preparation of a cold water extract EN 645:1993 BS EN 645:1994		2018-09-12
				Paper and board intended to come into contact with foodstuffs-Preparation of a hot water extract EN 647:1993 BS EN 647:1994		2018-09-12
				Paper and board intended to come into contact with foodstuffs-Determination of formaldehyde in an aqueous extract EN 1541:2001 BS EN 1541:2001		2018-09-12



No. CNAS L6481

第 17 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
Rubber						
1	Rubber	1	Total Extractives	Rubber articles intended for repeated use FDA 21 CFR 177.2600		2018-09-12
sealing gaskets						
1	Sealing gaskets	1	Chloroform soluble extract	Closures with sealing gaskets for food containers FDA 21 CFR 177.1210		2018-09-12
Plastic						
1	Plastic	1	Overall Migration	Relating to plastic materials and articles intended to come into contact with foodstuffs Directive (EU) No 10/2011 Article 12, Appendix III,IV,V		2018-09-12
		2	Overall Migration	Materials and articles in contact with foodstuffs-Plastics substances subject to limitation-Guide to test methods for the specific migration of substances from plastics to foods and food simulants and the determination of substances in plastics and the selection of conditions of exposure to food simulants GB/T 23296.1-2009		2018-09-12
				Food contact materials—Polymer materials—Test methods for overall migration into aqueous food stimulants by total immersion SN/T 2335-2009		2018-09-12
				Food contact materials—Plastics—Test methods for overall migration into aqueous food simulants—By article filling SN/T 2199-2008		2018-09-12
				Materials and articles in contact with foodstuffs-Plastics-Part 1:Guide to the selection of conditions and test methods for overall migration EN 1186-1:2002 BS EN 1186-1:2002		2018-09-12
				Materials and articles in contact with foodstuffs-Plastics-Part 2:Test methods for overall migration into olive oil by total		2016-09-12



No. CNAS L6481

第 18 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				immersion EN 1186-2:2002BS EN 1186-2:2002		
				Materials and articles in contact with foodstuffs-Plastics-Part 3:Test methods for overall migration into aqueous food simulants by total immersion EN 1186-3:2002 BS EN 1186-3:2002		2018-09-12
				Materials and articles in contact with foodstuffs-Plastics-Part 5 : Test methods for overall migration into aqueous food simulants by cell EN 1186-5:2002 BS EN1186-5:2002		2018-09-12
				Materials and articles in contact with foodstuffs-Plastics-Part 9: Test methods for overall migration into aqueous food simulants by article filling EN 1186-9:2002 BS EN 1186-9:2002		2018-09-12
				Materials and articles in contact with foodstuffs-Plastics-Part 14:Test methods for 'substitute tests'for overall migration from plastics intended to come into contact with fatty foodstuffs using test media iso-octane and 95% ethanol EN 1186-14:2002 BS EN 1186-14:2002		2018-09-12
		3	Formaldehyde	Plastics-Melamine-formaldehyde mouldings-Determination of extractable formaldehyde BS EN ISO 4614:2000		2018-09-12
		4	Bisphenol-A	Food contact materials—Polymer materials—Determination of 2,2-bis(4-hydroxyphenyl)propane(Bisphenol A)in food simulants—HPLC method SN/T 2282-2009		2018-09-12
Olefin polymer food containers						
1	Olefin polymer food containers	1	Total Extractives	Olefin polymers FDA 21 CFR 177.1520		2018-09-12
Polyethylene phthalate polymers food containers						
1	Polyethylene phthalate	1	Chloroform soluble extract	Polyethylene phthalate polymers FDA 21 CFR 177.1630		2018-09-12



No. CNAS L6481

第 19 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
	polymers food containers					
PC resin						
1	PC resin	1	Total Extractives	Polycarbonate resins FDA 21 CFR 177.1580		2018-09-12
Ethylene-vinyl acetate copolymers						
1	Ethylene-vinyl acetate copolymers	1	Chloroform soluble extract	Ethylene-vinyl acetate copolymers FDA 21 CFR 177.1350		2018-09-12
				Components of paper and paperboard in contact with aqueous and fatty foods FDA 21 CFR 176.170 Melamine/Formaldehyderesins		2018-09-12
Melamine/Formaldehyderesin						
1	Melamine/Formaldehyderesin	1	Chloroform soluble extract	Melamine-formaldehyde resins in molded articles FDA 21 CFR 177.1460		2018-09-12
				Resinous and polymeric coatings FDA 21 CFR 175.300		2018-09-12
PA resin						
1	PA resin	1	Maximum extractable part	Nylon resins FDA 21 CFR 177.1500		2018-09-12
		2	Solubility in boiling 4.2mol/L hydrochloric acid	Nylon resins FDA 21 CFR 177.1500		2018-09-12
Polyesterresin						
1	Polyesterresin	1	Chloroform soluble extract	Polyester resins, cross linked FDA 21 CFR 177.2420		2018-09-12
				Components of paper and paperboard in contact with aqueous		2018-09-12



No. CNAS L6481

第 20 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				and fatty foods FDA 21 CFR 176.170		
Coating for inner wall						
1	Coating for inner wall	1	Chloroform soluble extract	Resinous and polymeric coatings FDA 21 CFR 175.300		2018-09-12
Plastic Resin						
1	Plastic Resin	1	extractive	National standard for food safety— Food contact materials and articles— Determination of the extract in the resin GB 31604.5-2016		2018-09-12
		2	loss on drying	National standard for food safety—Food contact materials and articles—Determination of resin loss on drying GB 31604.3-2016		2018-09-12
		3	Volatile matter	National standard for food safety—Food contact materials and articles— Determination of volatile matter in resins GB 31604.4-2016		2018-09-12
		4	Ignition residue	National standard for food safety—Food contact materials and articles— Determination of Ignition residue in resin GB 31604.6-2016		2018-09-12
		5	Potassium Permanganate Consumption	National standard for food safety —Food contact materials and articles—Determination of potassium permanganate consumption GB 31604.2-2016		2018-09-12
		6	Total migration of heavy metal as lead	National standard for food safety—Food contact materials and articles— Determination of Total migration of heavy metal as lead in food simulants GB 31604.9-2016		2018-09-12
		7	Phenol and Free phenol	National standard for food safety—Food contact materials and articles— Determination of Free phenol and free phenol migration GB 31604.46-2016		2018-09-12
Plastic materials and Products						



No. CNAS L6481

第 21 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
1	Plastic materials and Products	1	General rule of migration test	National standard for food safety—General rules for migration tests of food contact materials and articles GB 31604.1-2015		2018-09-12
		2	General rule of preconditioning method for migration test	National standard for food safety—General rules for pretreatment methods of migration test of food contact materials and articles GB 5009.156-2016		2018-09-12
		3	Overall migration	National standard for food safety— Food contact materials and articles— Determination of overall migration GB 31604.8-2016		2018-09-12
		4	Extractable formaldehyde	National standard for food safety—Food contact materials and articles—Determination of the Extractable formaldehyde GB 31604.48-2016		2018-09-12
		5	Decolor test	National standard for food safety— Food contact materials and articles—Decolor test test GB 31604.7-2016		2018-09-12
		6	Potassium Permanganate Consumption	National standard for food safety —Food contact materials and articles—Determination of potassium permanganate consumption GB 31604.2-2016		2018-09-12
		7	Arsenic, cadmium, chromium, lead content and arsenic, cadmium, chromium, nickel, lead, antimony and zinc migration measurement	National standard for food safety—Food contact materials and articles— Determination of arsenic, cadmium, chromium, lead and migration of arsenic, cadmium, chromium, nickel, lead, antimony and zinc GB 31604.49-2016		2018-09-12
		8	Heavy metal as lead	National standard for food safety—Food contact materials and articles— Determination of Total migration of heavy metal as lead in food simulants GB 31604.9-2016		2018-09-12
		9	1,3-butadiene ad and 1,3-butadiene ad migration	National standard for food safety— Food contact materials and articles—Determination of 1,3-butadiene and the migration of 1,3-butadiene GB 31604.12-2016		2018-09-12



No. CNAS L6481

第 22 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
		10	2,4,6-triamino-1,3,5-triazine(melamine) migration measurement	National standard for food safety—Food contact materials and articles— Determination of migration of 2,4,6 - triamino - 1,3,5 - triazine (melamine) GB 31604.15-2016		2018-09-12
		11	Styrene and ethylbenzene	National standard for food safety— Food contact materials and articles— Determination of styrene and ethylbenzene GB 31604.16-2016		2018-09-12
		12	Caprolactam and caprolactam migration measurement	National standard for food safety—Food contact materials and articles—Determination of caprolactam and the migration of caprolactam GB 31604.19-2016		2018-09-12
		13	Terephthalic acid migration measurement	National standard for food safety—Food contact materials and articles—Determination of the migration of terephthalic acid GB 31604.21-2016		2018-09-12
		14	Dichlorodifluoromethane	National standard for food safety—Food contact materials and articles—Determination of dichlorodifluoromethane in products of foamed polystyrene GB 31604.22-2016		2018-09-12
		15	Diaminomethylbenzene	National standard for food safety—Food contact materials and articles—Determination of Diaminomethylbenzene in compound food contact materials GB 31604.23-2016	Accredited only for GC-MS method	2018-09-12
		16	Di (2-ethylhexyl)adipate migrating and di (2-ethylhexyl)adipate migrating migrant	National standard for food safety— Food contact materials and articles—Determination of di (2-ethyl) hexyl adipate and determination of migration GB 31604.28-2016		2018-09-12
		17	Phthalate esters and phthalate esters migration	National standard for food safety— Food contact materials and articles— Determination of phthalate and determination of migration GB 31604.30-2016		2018-09-12



No. CNAS L6481

第 23 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
			(DMP/DEP/DAP/ DIBP/DBP/DMEP/ BMPP/DEEP/DPP/ DHXP/BBP/DBEP/ DCHP/DEHP/DPhP /DNOP/DINP/DNP)			
		18	Vinyl chloride and vinyl chloride migrant	National standard for food safety—Food contact materials and articles—Determination of vinyl chloride and the migration of vinyl chloride GB 31604.31-2016		2018-09-12
		19	Monoethylene glycol and diethylene glycol migrant	National standard for food safety—Food contact materials and articles— Determination of ethanediol diethylene glycol migration GB 31604.44-2016		2018-09-12
Metal materials and products						
1	Metal materials and products	1	lead extracted	National Food Safety Standards - Food Contact Materials and Products - Determination of Lead and Lead extracted GB 31604.34-2016	Accredited only for the second method and the third method in the second part	2018-09-12
		2	Cadmium extracted	National Food Safety Standards - Food Contact Materials and Products - Determination of Cadmium extracted GB 31604.24- 2016	Accredited only for the second method and the third method	2018-09-12



No. CNAS L6481

第 24 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
		3	Chromium extracted	National standard for food safety—Food contact materials and articles—Determination of the chromium extracted GB 31604.25-2016	Accredited only for the second method and the third method	2018-09-12
		4	Nickel extracted	National standard for food safety— Food contact materials and articles—Determination of the nickel extracted GB 31604.33-2016	Accredited only for the second method and the third method	2018-09-12
		5	arsenic extracted	National standard for food safety— Food contact materials and articles—Determination of arsenic and the extracted arsenic GB 31604.38-2016	Accredited only for the second method and the third method in the second part	2018-09-12
		6	migration of arsenic, cadmium, chromium, nickel, lead, antimony, zinc	National standard for food safety—Food contact materials and articles— Determination of arsenic, cadmium, chromium, lead and migration of arsenic, cadmium, chromium, nickel, lead, antimony and zinc GB 31604.49-2016		2018-09-12
Paper materials and products						
1	Paper materials and products	1	Lead	National Food Safety Standards - Food Contact Materials and Products - Determination of Lead and Lead extracted GB 31604.34-2016	Accredited only for the second method and the third	2018-09-12

No. CNAS L6481

第 25 页 共 35 页



The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
					method in the first part	
		2	Arsenic	National standard for food safety— Food contact materials and articles—Determination of arsenic and the arsenic extracted GB 31604.38-2016	Accredited only for the second method and the third method in the first part	2018-09-12
		3	Extractable formaldehyde	National standard for food safety—Food contact materials and articles—Determination of the Extractable formaldehyde GB 31604.48-2016		2018-09-12
		4	Fluorescent brightener	National standard for food safety—Food contact materials and articles— Determination of Fluorescent brightener GB 31604.47-2016		2018-09-12
		5	Overall migration	National standard for food safety— Food contact materials and articles— Determination of overall migration GB 31604.8-2016		2018-09-12
		6	Potassium Permanganate Consumption	National standard for food safety —Food contact materials and articles—Determination of potassium permanganate consumption GB 31604.2-2016		2018-09-12
		7	Heavy metal as lead	National standard for food safety—Food contact materials and articles— Determination of Total migration of heavy metal as lead in food simulants GB 31604.9-2016		2018-09-12
Coating						
1	Coating	1	Overall migration	National standard for food safety— Food contact materials and articles— Determination of overall migration GB 31604.8-2016		2018-09-12
		2	Potassium	National standard for food safety —Food contact materials and		2018-09-12



No. CNAS L6481

第 26 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
			Permanganate Consumption	articles—Determination of potassium permanganate consumption GB 31604.2-2016		
		3	Heavy metal as lead	National standard for food safety—Food contact materials and articles— Determination of Total migration of heavy metal as lead in food simulants GB 31604.9-2016		2018-09-12
Rubber materials and products						
1	Rubber materials and products	1	Overall migration	National standard for food safety— Food contact materials and articles— Determination of overall migration GB 31604.8-2016		2018-09-12
		2	Potassium Permanganate Consumption	National standard for food safety —Food contact materials and articles—Determination of potassium permanganate consumption GB 31604.2-2016		2018-09-12
		3	Heavy metal as lead	National standard for food safety—Food contact materials and articles— Determination of Total migration of heavy metal as lead in food simulants GB 31604.9-2016		2018-09-12
Textile						
Textile						
1	Textile	1	pH	Textiles--Determination of pH of aqueous extract GB/T 7573-2009		2018-09-12
				Textiles--Determination of pH of aqueous extract ISO 3071: 2005(E)		2018-09-12
				pH of the Water-Extract from Wet Processed Textiles AATCC 81- 2016		2018-09-12
		2	Formaldehyde	Textiles--Determination of formaldehyde--Part 1:Free and hydrolyzed formaldehyde(water extraction method) GB/T 2912.1-2009		2018-09-12
				Textiles -- Determination of formaldehyde -- Part 1: Free and hydrolized formaldehyde (water extraction method) ISO 14184-1:2011(E)		2018-09-12



No. CNAS L6481

第 27 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				Textiles--Determination of formaldehyde--Part 2:Released formaldehyde(vapour absorption method) GB/T 2912.2-2009		2018-09-12
				Textiles -- Determination of formaldehyde -- Part 1: Free and hydrolyzed formaldehyde (water extraction method) ISO 14184-2:2011(E)		2018-09-12
				Formaldehyde Release from Fabric; Determination of: Sealed Jar Method AATCC 112-2014		2018-09-12
		3	AZO	Textiles - Determination of the banned azo colourants GB/T 17592-2011	Accredited only for : GC/MS、HPLC/DA D method	2018-09-12
				Textiles - Methods for determination of certain aromatic amines derived from azo colorants - Part 1: Detection of the use of certain azo colorants accessible with and without extracting the fibres EN ISO 14362-1:2017	Accredited only for : GC/MS、HPLC/DA D method	2018-09-12
				Testing of Commodity Articles Detection of the Use of Certain Azo Dyes From Textile Commodity Articles §64 LFGB B 82.02-2:2017		2018-09-12
				Testing of Commodity Articles Detection of the Use of Certain Azo Dyes From Polyester Fibres §64 LFGB B 82.02-15: 2017		2018-09-12
				Textiles--Determination of 4-aminoazobenzene GB/T 23344-2009		2018-09-12
		4	Chlorinated Phenols	Textiles--Determination of the content of chlorinated phenols--Part 1:Gas chromatography/mass spectrography GB/T 18414.1-2006		2018-09-12
				Textiles--Determination of the content of chlorinated phenols--Part 2:Gas chromatography GB/T 18414.2-2006		2018-09-12



No. CNAS L6481

第 28 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
		5	DMFu	Textiles - Determination of dimethyl fumarate GB/T 28190-2011		2018-09-12
		6	Organotin(Tributyltin,Dibutyltin,Monobutyltin,)	Textiles--Determination of organotin compounds GB/T 20385-2006	Accredited only for : GC/MS method	2018-09-12
		7	Phthalates	Textiles--Determination of the phthalates content -- Tetrahydrofuran method GB/T 20388-2016		2018-09-12
		8	Extractable heavy metal (As、Cd、Co、Cr、Cu、Ni、Pb、Sb)	Textiles. Determination of heavy metals. Part 2:Inductively coupled plasma atomic emission spectrometry GB/T 17593.2-2007		2018-09-12
		9	Chromium (VI)	Textiles. Determination of heavy metals. Part 3:Chromium (VI). Spectrophotometry GB/T 17593.3-2006		2018-09-12
		10	Flame retardant	Textiles—Determination of the banned/limited flame retardants GB/T24279-2009		2018-09-12
		11	ortho-phenylphenol	Textiles--Determination of the content of ortho-phenylphenol GB/T 20386-2006		2018-09-12
Leather						
Leather						
1	Leather	1	pH	Leather -- chemical test -- Determination of ph QB/T 2724-2005		2018-09-12
				Fur-Chemical Tests-Determination of pH QB/T 1277-2012		2018-09-12
				Leather - Chemical tests - Determination of pH BS EN ISO 4045:2008		2018-09-12
		2	Formaldehyde	Leather and fur--Chemical tests--Determination of formaldehyde content GB/T 19941-2005	Accredited only for	2018-09-12



№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
					spectrophotometry	
				Leather -- Chemical determination of formaldehyde content -- Part 1: Method using high performance liquid chromatography ISO 17226-1:2008		2018-09-12
				Leather -- Chemical determination of formaldehyde content -- Part 2: Method using colorimetric analysis ISO 17226-2:2008		2018-09-12
		3	AZO	Leather and fur--Chemical tests--Determination of banned azo colourants GB/T19942-2005		2018-09-12
				Leather -- Chemical tests for the determination of certain azo colorants in dyed leathers -- Part 1: Determination of certain aromatic amines derived from azo colorants ISO 17234-1:2015		2018-09-12
				Investigation of materials - Determination of certain azo dyes in dyed leathers §64 LFGB B 82.02-3: 2017		2018-09-12
		4	Pentachlorophenol	Leather - Chemical tests - Determination of tetrachlorophenol-, trichlorophenol-, dichlorophenol-, monochlorophenol-isomers and pentachlorophenol content DIN EN ISO 17070:2015		2018-09-12
		5	Cr(VI)	Leather — Chemical determination of chromium(VI) content in leather — Part 1: Colorimetric method ISO 17075-1-2017		2018-09-12
		6	SCCP	Determination of short chain chlorinated paraffin in leathew -- Gas chromatography method SN/T 2570-2010		2018-09-12
				Leather — Determination of chlorinated hydrocarbons in leather — Chromatographic method for shortchain chlorinated paraffins (SCCP) ISO 18219:2015(E)		2018-09-12
Auto parts&Automotive interior parts						
Auto parts&Automotive interior parts						
1	Auto parts&Automotive interior	1	Cr(VI)	Test methods of hexavalent chromium in automobiles materials QC/T 942-2013		2018-09-12



No. CNAS L6481

第 30 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
	parts	2	Pb, Cd	Test methods of Lead and cadmium in automobiles materials QC/T 943-2013	Accredited only for method 1 and method 3	2018-09-12
		3	Hg	Test methods of mercury in automobiles materials QC/T 941-2013	Accredited only for method 1 and method 2	2018-09-12
		4	PBBs&PBDEs	The methods of polybrominated biphenyl (PBBs) and polybrominated diphenyl ethers (PBDEs) in automotive materials QC/T 944-2013		2018-09-12
		5	Volatile organic compounds	Determination of Organic Emission of Non-metallic materials from vehicles Interior VDA 277:1995		2018-09-12
				Thermodesorption Analysis of Organic Emissions for the characterization of Non-metallic Automobile Interior Materials VDA 278:2011		2018-09-12
				Interior air of road vehicles - Part 2: Screening method for the determination of the emissions of volatile organic compounds from vehicle interior parts and materials - Bag method ISO 12219-2-2012		2018-09-12
		6	Formaldehyde	Determination of Formaldehyde from Vehicle Interior with Modified Flask Method VDA 275:1994		2018-09-12
		7	Fogging	Determination of the fogging characteristics of interior automotive materials SAE J1756-2006		2016-09-12
Interior decoration materials						
Interior decoration materials						



No. CNAS L6481

第 31 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
1	Interior decoration materials	1	Vinyl chloride monomer	Poly(vinyl chloride)—Determination of residual vinyl chloride monomer—Gas-chromatographic method GB/T4615-2013		2018-09-12
		2	Volatile matter content	Indoor decorating and refurbishing materials-Limit of harmful substances of polyvinyl chloride floor coverings GB 18586-2001	Accredited only for 5.5	2018-09-12
				Indoor decorating and refurbishing materials - Limit of harmful substances of adhesives GB 18583-2008/appendix F		2018-09-12
				Indoor decorating and refurbishing materials—Limit of harmful substances of solvent coatings for woodenware GB 18581-2009/appendix A	Accredited only for : GC/FID method	2018-09-12
				Standard Test Methods for Volatile Loss From Plastics Using Activated Carbon Methods ASTM D 1203-2016		2018-09-12
		3	Benzene、methylbenzene、dimethylbenzene and toluene diisocyanate	Indoor decorating and refurbishing materials—Limit of harmful substances of adhesives GB 18583-2008	Accredited only for appendix B/C/D	2018-09-12
				Indoor decorating and refurbishing materials—Limit of harmful substances of solvent coatings for woodenware GB 18581-2009/appendix B		2018-09-12
				Binders for paints and varnishes-Determination of monomeric diisocyanates in isocyanate resins GB/T 18446-2009/appendix B		2018-09-12
		4	Formaldehyde	Indoor decorating and refurbishing materials—Limit of harmful substances of interior architectural coatings GB 18582-2008/appendix C	Accredited only for : GC/FID method	2018-09-12
				Indoor decorating and refurbishing materials—Limit of harmful substances of adhesives GB 18583-2008/appendix A		2018-09-12
				Test methods of evaluating the properties of wood-based panels and surface decorated wood-based panels GB/T 17657-2013 4.59		2018-09-12



No. CNAS L6481

第 32 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
		5	Soluble lead and cadmium	Indoor decorating and refurbishing materials—Limit of harmful substances of polyvinyl chloride floor coverings GB 18586-2001		2018-09-12
		6	Soluble heavy metals（Soluble lead、cadmium、chromium）	Indoor decorating and refurbishing materials—Limit of harmful substances of solvent based coatings for woodenware GB18581-2009 5.2.5（GB18582-2008/附录 D）	Except for: Hg	2018-09-12
Decorations						
Decorations						
1	Decorations	1	Nickel release	Jewellery--Determination of the release of nickel--Method of spectrometry GB/T 19719-2005		2018-09-12
				Reference test method for release of nickel from all post EN 1811:2011+A1:2015		2018-09-12
				Method for the simulation of wear and corrosion for the detection of nickel release from coated items BS EN 12472:2005 + A1:2009		2018-09-12
				Ophthalmic optics — Reference method for the testing of spectacle frames and sunglasses for nickel release EN 16128:2015		2018-09-12
		2	Nickel Screening tests	Screening tests for nickel release from alloys and coatings in items that come into direct and prolonged contact with the skin PD CR 12471:2002		2018-09-12
Metal material						
Metal material						
1	Metal material	1	Silicon, manganese, phosphorus, nickel, chromium,	Low-alloy steel—Determination of multi-element contents—Inductively coupled plasma atomic emission spectrometric method GB/T 20125-2006		2018-09-12



No. CNAS L6481

第 33 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
			molybdenum, copper, vanadium, cobalt, titanium, aluminum silicon, manganese, phosphorus, nickel, chromium, molybdenum, copper, vanadium, cobalt, titanium, aluminum			
		2	Iron, copper, magnesium, manganese, titanium, vanadium, tin, zinc, chromium, nickel	Methods for chemical analysis of aluminium and aluminium alloys—Part 25:Inductively coupled plasma atomic emission spectrometric GB/T 20975.25-2008		2018-09-12
		3	Lead, cadmium, iron, copper, tin, aluminum, arsenic, antimony, magnesium	The methods for chemical analysis of zinc and zinc alloys—The determination of lead,cadmium,iron copper,tin,aluminium,arsenic,stibium,magnesium lanthanum and cerium contents—The inductively coupled plasma-optical emission spectrometric method GB/T 12689.12-2004		2018-09-12
		4	Silicon	Steel and iron—Determination of acid-soluble silicon and total silicon content—Reduced molybdosilicate spectrophotometric method GB/T 223.5-2008	Accredited only for the acid solution silicon	2018-09-12
		5	Total carbon and sulfur	Steel and iron—Determination of total carbon and sulfur content Infrared absorption method after combustion in an induction furnace (routine method) GB/T 20123-2006		2018-09-12



No. CNAS L6481

第 34 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

№	Test Object	Item/Parameter		Standard or Method	Note	Effective Date
		№	Item/ Parameter			
				Steel and iron—Determination of total carbon and sulfur content Infrared absorption method after combustion in an induction furnace (routine method) ISO 15350: 2000		2018-09-12
				Ferrochromium and silicochromium - Determination of carbon content - Infrared absorption method and gravimetric method GB/T 4699.4-2008	Accredited only for the first method infrared absorption method	2018-09-12
				Ferrochromium and silicochromium - Determination of sulfur content - The infrared absorption method and the combustion-titration method GB/T 4699.6-2008	Accredited only for the first method infrared absorption method	2018-09-12
				Standard Test Methods for Determination of Carbon, Sulfur, Nitrogen, and Oxygen in Steel, Iron, Nickel, and Cobalt Alloys by Various Combustion and Fusion Techniques ASTM E1019-11		2018-09-12



No. CNAS L6481

第 35 页 共 35 页

The scope of the accreditation in Chinese remains the definitive version.

在线扫码获取验证

名称：苏州索泰检测技术服务股份有限公司

地址：江苏省苏州市苏州工业园区展业路8号科技工业坊一期2-1-B

注册号：CNAS L6481

认可依据：ISO/IEC 17025:2005 以及 CNAS 特定认可要求

生效日期：2020年01月02日 截止日期：2022年10月21日

附件3 认可的检测能力范围

序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期
		序号	名称			
一、电子电工产品						
电子电工产品						
1	电子电工产品	1	低温试验	电工电子产品环境试验 第 2 部分:试验方法 试验 A:低温 GB/T 2423.1-2008	只测: $\geq -40^{\circ}\text{C}$	2018-09-12
				环境试验 第 2-1 部分:试验 试验 A:低温 IEC 60068-2-1:2007	只测: $\geq -40^{\circ}\text{C}$	2018-09-12
		2	高温试验	电工电子产品环境试验 第 2 部分:试验方法 试验 B:高温 GB/T 2423.2-2008	只测: $\leq 180^{\circ}\text{C}$; 样品尺寸(mm) $\leq$ 2000 $\times$ 1000 $\times$ 1000	2018-09-12



No. CNAS L6481

第1页 共103页

序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				环境测试—第 2-2 部分：试验—试验 B：干热 IEC 60068-2-2: 2007	只测：≤180℃； 样品尺寸(mm)≤ 2000×1000× 1000	2018-09-12
		3	恒定湿热试验	环境试验 第 2 部分：试验方法 试验 Cab：恒定湿热试验 GB/T 2423.3-2016		2018-09-12
				环境试验—第 2-78 部分：试验—试验室：稳态湿热 IEC 60068-2-78:2012		2018-09-12
		4	交变湿热试验	电工电子产品环境试验 第 2 部分：试验方法 试验 Db：交变湿热(12h + 12h 循环) GB/T 2423.4-2008	只测：(-40~120)℃；(25~95)%RH	2018-09-12
				环境试验规程—第 2 部分：试验—第 30 节：试验 Db 和指南：交变湿热(12+12 小时循环) IEC 60068-2-30:2005	只测：(-40~120)℃；(25~95)%RH	2018-09-12
		5	盐雾试验	电工电子产品环境试验 第 2 部分：试验方法 试验 Ka：盐雾 GB/T 2423.17-2008	只测：样品尺寸(mm)≤2000×1000×1000	2018-09-12
				人造气氛腐蚀试验 盐雾试验 GB/T 10125-2012	不测：AASS；体积：样品尺寸(mm)>2000×1000×1000	2018-09-12
				环境试验 第 2 部分：试验方法 试验 Kb：盐雾，交变(氯化钠溶液) GB/T 2423.18-2012	只测：样品尺寸(mm)≤2000×1000×1000	2018-09-12
				人造环境中的腐蚀试验 盐雾试验 ISO 9227:2017	只测：样品尺寸(mm)≤2000×	2018-09-12



No. CNAS L6481

第 2 页 共 103 页

在线扫码获取验证

序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
			中国合格评定国家认可委员会 认可证书附件	基本环境试验规程 第2-11部分:试验 试验 Ka:盐雾 IEC 60068-2-11:1981	1000×1000 只测: 样品尺寸 (mm) ≤ 2000×1000×1000	2018-09-12
				盐雾(烟)装置的标准操作规程 ASTM B117-2016	只测: 样品尺寸 (mm) ≤ 2000×1000×1000	2018-09-12
				改性盐雾(雾)测试规程 ASTM G85-2011	只测: 样品尺寸 (mm) ≤ 2000×1000×1000	2018-09-12
				环境试验—第2-52部分:试验—试验 Kb:循环盐雾(氯化钠溶液) IEC 60068-2-52:2017	只测: 样品尺寸 (mm) ≤ 2000×1000×1000	2018-09-12
				环境试验 第2部分: 试验方法 试验 N: 温度变化 GB/T 2423.22-2012	只测: 试验 Na、Nb; 样品尺寸 (mm) ≤ 1000×1000×1000	2018-09-12
		6	温度变化试验	环境试验—第2-14部分: 试验—试验 N: 温度变化 IEC 60068-2-14:2009	只测: 试验 Na、Nb; 样品尺寸 (mm) ≤ 1000×1000×1000	2018-09-12
				电工电子产品环境试验 第2部分:试验方法 试验 L:沙尘试验 GB/T 2423.37-2006	只测: 试验 La; ; 样品尺寸 (mm) ≤ 1000×1000×1000	2018-09-12
		7	沙尘试验			



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		8	氙灯老化试验	环境试验 第 2-68 部分: 试验 试验 L: 灰尘和沙尘 IEC 60068-2-68:1994	只测: 试验 La; ; 样品尺寸 (mm) ≤ 1000 × 1000 × 1000	2018-09-12
				塑料 实验室光源暴露试验方法 第 2 部分: 氙弧灯 GB/T 16422.2-2014		2018-09-12
				塑料—实验室光源暴露方法—第 2 部分: 氙弧灯 ISO 4892-2:2013		2018-09-12
				涂料和油漆—人工气候和辐射测试: 氙弧灯 ISO 11341:2004		2016-09-12
				汽车内饰材料氙弧灯加速暴露试验 SAE J2412-2015	只测: 氙灯老化和氙灯老化后的色差, 色牢度, 光泽度, 外观评价	2018-09-12
				汽车外饰材料氙弧灯加速暴露试验 SAE J2527-2004	只测: 氙灯老化和氙灯老化后的色差, 色牢度, 光泽度, 外观评价	2018-09-12
				户外用塑料氙弧灯暴露试验方法 ASTM D2565-16		2018-09-12
				室内用塑料氙弧光暴露试验方法 ASTM D4459-12		2018-09-12
				涂料及涂层氙弧灯老化试验方法 ASTM D6695-16		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				非金属材料氙弧灯老化试验 ASTM G155-13		2018-09-12
		9	正弦振动试验	电工电子产品环境试验 第2部分:试验方法 试验Fc:振动(正弦) GB/T 2423.10-2008	只测: 最大承载:800kg, 频率范围:(5~2500)Hz, 最大加速度:98g, 最大速度:2m/s, 最大位移:72mm	2018-09-12
				环境试验.第2-6部分:试验.试验Fc:振动(正弦) IEC 60068-2-6:2007	只测: 最大承载:800kg, 频率范围:(5~2500)Hz, 最大加速度:98g, 最大速度:2m/s, 最大位移:72mm	2018-09-12
		10	宽带随机振动试验	电工电子产品环境试验 第2部分:试验方法 试验Fh:宽带随机振动(数字控制)和导则 GB/T 2423.56-2006	只测: 最大承载:800kg, 频率范围:(5~2500)Hz, 最大加速度:98g, 最大速度:2m/s, 最大位移:72mm	2018-09-12
				环境试验.第2-64部分:试验.试验Fh:振动、宽带随机(数控)和指南 IEC 60068-2-64-2008	只测: 最大承载:800kg, 频率范围:(5~2500)Hz,	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		11	温度、振动（正弦）综合试验	中国合格评定国家认可委员会 认可证书附件 电工电子产品环境试验 第2部分:试验方法 试验Z/AFc:散热和非散热试验样品的低温/振动(正弦)综合试验 GB/T 2423.35-2005	最大加速度:98g, 最大速度:2m/s, 最大位移:72mm	
				电工电子产品环境试验 第2部分:试验方法 试验Z/BFc:散热和非散热试验样品的高温/振动(正弦)综合试验 GB/T 2423.36-2005	只测: 温度:(-40~120)℃, 相对湿度:(25~98)%RH, 最大承载:500kg, 频率范围:(5~2500)Hz, 最大加速度:98g, 最大速度:2m/s, 最大位移:25.4mm。	2018-09-12
					只测: 温度:(-40~120)℃, 相对湿度:(25~98)%RH, 最大承载:500kg, 频率范围:(5~2500)Hz, 最大加速度:98g, 最大速度:2m/s, 最大位移:	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				中国合格评定国家认可委员会 认可证书附件 基本环境试验规程 第 2-51 部分:温度(低温、干热) 振动(正弦)复合试验指引 IEC 60068-2-53-2010	移:25.4mm。 只测: 温度:(-40~120)℃, 相对湿度:(25~98)%RH, 最大承载:500kg, 频率范围:(5~2500)Hz, 最大加速度:98g, 最大速度:2m/s, 最大位移:25.4mm。	2018-09-12
		12	太阳辐射试验	环境试验 第 2 部分:试验方法 试验 Sa:模拟地面上的太阳辐射及其试验导则 GB/T 2423.24-2013	只测: 样品尺寸 (mm)≤1000×1000×1000	2018-09-12
				环境试验. 第 2-5 部分:试验. Sa 试验:地面上的模拟太阳辐射和日晒测试指南 IEC 60068-2-5-2010	只测: 样品尺寸 (mm)≤1000×1000×1000	2018-09-12
				太阳模拟装置中自推进部件的老化试验 DIN 75220-1992	只测: 样品尺寸 (mm)≤1000×1000×1000	2018-09-12
		13	自由跌落试验	电工电子产品环境试验 第 2 部分:试验方法 试验 Ed:自由跌落 GB/T 2423.8-1995	只测: 重复自由跌落 程序 2	2018-09-12
				环境试验 第 2-32 部分:试验方法 试验 Ed:自由跌落 IEC 60068-2-32:1975+A2:1990, EN 60068-2-32:1993	只测: 重复自由跌落 程序 2	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		14	锤击试验	电工电子产品环境试验 第2部分:试验方法 试验 Eh:锤击试验 GB/T 2423.55-2006	只测: Ehb 弹簧锤试验	2018-09-12
				电工电子产品环境试验 第2-75部分:试验方法试验 Eh:锤击试验 IEC 60068-2-75:2014 EN 60068-2-75:2014	只测: Ehb 弹簧锤试验	2018-09-12
		15	外壳防护等级 (IP 代码)	外壳防护等级 (IP 代码) GB/T 4208-2017	不测: IP78 以上代码的试验	2018-09-12
				外壳防护等级 (IP 代码) IEC 60529:2013 EN 60529:1992+A1:2000+A2:2013	不测: IP78 以上代码的试验	2018-09-12
		16	耐电痕化指数和相比电痕化指数	固体绝缘材料耐电痕化指数和相比电痕化指数的测定方法 GB/T 4207-2012		2018-09-12
				固体绝缘材料耐电痕化指数和相比电痕化指数的测定方法 IEC 60112:2003+A1:2009 EN 60112:2003+A1:2009		2018-09-12
		17	着火危险试验	电工电子产品着火危险试验 第10部分:灼热丝/热丝基本试验方法 灼热丝装置和通用试验方法 GB/T 5169.10-2017		2018-09-12
				着火危险试验 第2-10部分:灼热丝/热丝基本试验方法 灼热丝装置和通用试验方法 IEC 60695-2-10:2013 EN 60695-2-10:2013		2018-09-12
				电工电子产品着火危险试验 第11部分:灼热丝/热丝基本试验方法 成品的灼热丝可燃性试验方法 (GWEPT) GB/T 5169.11-2 017		2018-09-12
				着火危险试验 第2-11部分:灼热丝/热丝基本试验方法 灼热丝装置和通用试验方法 成品的灼热丝可燃性试验方法 IEC 60695-2-11:2014 EN 60695-2-11:2014		2018-09-12
				电工电子产品着火危险试验 第21部分:非正常热 球压试验方法 GB/T 5169.21-2017		2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期
		序号	名称			
		中国合格评定国家认可委员会		着火危险试验 第 10-2 部分:非正常热 球压试验 IEC 60695-10-2:2014 EN 60695-10-2:2014		2018-09-12
				电工电子产品着火危险试验 第 5 部分:试验火焰 针焰试验方法 装置、确认试验方法和导则 GB/T 5169.5-2008		2018-09-12
				着火危险试验 第 11-5 部分:试验火焰 针焰试验方法 装置、确认试验方法和导则 IEC 60695-11-5:2016 EN 60695-11-5:2017		2018-09-12
		18	接触电流及保护导体电流	接触电流和保护导体电流的测量方法 GB/T 12113-2003	不测：三相设备；只测：图 4、图 5 网络	2018-09-12
				接触电流及保护导体电流的测量方法 IEC 60990:2016 EN 60990:2016	不测：三相设备；只测：图 4、图 5 网络	2018-09-12
		19	低压电气设备的高电压试验	低压电气设备的高电压试验技术 第一部分:定义和试验要求 GB/T 17627.1-1998	只测：交流≤5000V；直流≤6000V；脉冲电压≤12000V	2018-09-12
				低压电气设备的高电压试验技术 第 1 部分:定义和试验要求 IEC 61180:2016 EN 61180:2016	只测：交流≤5000V；直流≤6000V；脉冲电压≤12000V	2018-09-12
		二、橡胶制品				
橡胶制品						
1	橡胶制品	1	橡胶拉伸性能	硫化橡胶或热塑性橡胶 拉伸应力应变性能的测定 GB/T 528-2009	只测 1 型和 2 型哑铃试样	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		1	中国合格评定国家认可委员会	硫化橡胶和热塑性塑料. 拉伸应力-应变特性的测定 ISO 37:2017	只测 Type 1 和 Type 2 哑铃试样	2018-09-12
				硫化橡胶和热塑性弹性材料张力试验方法 ASTM D412-16	只用方法 A, 只测 Die C 哑铃试样	2018-09-12
				烯烃聚合物制软质多孔材料的标准试验方法 ASTM D3575-14 Suffix T		2018-09-12
		2	橡胶撕裂强度	硫化橡胶或热塑性橡胶 撕裂强度的测定 (裤形、直角形和新月形试样) GB/T 529-2008		2018-09-12
				硫化橡胶或热塑性橡胶. 撕裂强度的测定. 第 1 部分: 裤形, 角形和新月形试片 ISO 34-1:2015		2018-09-12
				通用硫化橡胶和热塑性弹性体撕裂强度的标准试验方法 ASTM D624-00 (2012)	只测 Type B、Type C 和 Type T	2018-09-12
				烯烃聚合物制软质多孔材料的标准试验方法 ASTM D3575-14 Suffix G		2018-09-12
		3	橡胶硬度	硫化橡胶或热塑性橡胶 压入硬度试验方法 第 1 部分: 邵氏硬度计法 (邵尔硬度) GB/T 531.1-2008	只测 A 型和 D 型	2018-09-12
				硫化橡胶或热塑性橡胶 压痕硬度的测定 第 1 部分: 硬度计法 (邵尔硬度) ISO 7619-1:2010	只测 A 型和 D 型	2018-09-12
				用硬度计测定橡胶硬度的试验方法 ASTM D2240-15	只测 A 型和 D 型	2018-09-12
		4	压缩永久变形	硫化橡胶、热塑性橡胶 压缩永久变形测定 第 1 部分: 在常温及高温条件下 GB/T 7759.1-2015		2018-09-12
				硫化橡胶或热塑性橡胶 压缩永久变形的测定 第 2 部分: 在低温条件下 GB/T 7759.2-2014		2018-09-12
				硫化橡胶或热塑性橡胶 压缩永久变形的测定 第 1 部分: 在环境温度或高温下 ISO 815-1:2014		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				硫化橡胶或热塑性橡胶 压缩永久变形的测定 第2部分：在低温下 ISO 815-2:2014		2018-09-12
				橡胶压缩永久变形特性的标准试验方法 ASTM D395-16(2017)	不用方法 A	2018-09-12
				烯烴聚合物制软质多孔材料的标准试验方法 ASTM D3575-14 Suffix B		2018-09-12
		5	压缩强度	烯烴聚合物制软质多孔材料的标准试验方法 ASTM D3575-14 Suffix D		2018-09-12
		6	伸长率	烯烴聚合物制软质多孔材料的标准试验方法 ASTM D3575-14 Suffix T		2018-09-12
		7	密度	烯烴聚合物制软质多孔材料的标准试验方法 ASTM D3575-14		2018-09-12
		8	橡胶热空气老化性能	硫化橡胶或热塑性橡胶 热空气加速老化和耐热试验 GB/T 3512-2014		2018-09-12
				硫化橡胶或热塑性橡胶 加速老化和耐热试验 ISO 188:2011	只用方法 B	2018-09-12
				橡胶在热空气箱中变质的标准试验方法 ASTM D573-04 (2015)		2018-09-12
		9	橡胶耐臭氧老化性能	硫化橡胶或热塑性橡胶 耐臭氧龟裂 静态拉伸试验 GB/T 7762-2014		2018-09-12
				硫化橡胶耐臭氧老化试验动态拉伸试验法 GB/T 13642-1992		2016-09-12
				橡胶变质的标准试验方法. 在箱室中表面臭氧龟裂 ASTM D1149-16	只用方法 A1	2018-09-12
				硫化或热塑性橡胶. 耐臭氧龟裂. 第1部分:静态和动态应变试验 DIN ISO 1431-1-2017 10	不测动态应变	2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期
		序号	名称			
三、塑料						
塑料						
1	塑料	1	耐液体	硫化橡胶或热塑性橡胶, 耐液体作用的测定 ISO 1817:2015		2018-09-12
		2	密度和相对密度	塑料, 非泡沫塑料的密度测定方法, 第 1 部分: 浸渍法、液体比重瓶法和滴定法, GB/T 1033.1-2008	只用方法 A	2018-09-12
				塑料, 非泡沫塑料的密度测定方法, 第 1 部分: 浸渍法、液体比重瓶法和滴定法, ISO 1183-1:2012	只用浸渍法	2018-09-12
				塑料, 非泡沫塑料的密度测定方法, 第 1 部分: 浸渍法、液体比重瓶法和滴定法, ASTM D792-13		2018-09-12
		3	熔体流动速率	热塑性塑料熔体质量流动速率和熔体体积流动速率的测定 GB/T 3682-2000	不测 MVR	2018-09-12
				塑料, 热塑塑料熔体质量流速率 (MFR) 和熔体体积流速 (MVR) 的测定-第 1 部分: 标准方法 ISO 1133-1:2011	不测 MVR	2018-09-12
				塑料, 热塑塑料熔体质量流速率 (MFR) 和熔体体积流速 (MVR) 的测定-第 1 部分: 标准方法 ISO 1133-2:2011	不测 MVR	2018-09-12
				用挤压塑性计测量热塑料塑性熔体流动速率的试验方法 ASTM D1238-13		2018-09-12
		4	拉伸性能	塑料-拉伸性能的测定-第 1 部分: 总则 GB/T 1040.1-2006	不测泊松比, 不能制样	2018-09-12
				塑料-拉伸性能的测定-第 2 部分: 模塑和挤塑塑料的试验条件 GB/T 1040.2-2006	不测泊松比, 不能制样	2018-09-12
				塑料-拉伸性能的测定-第 1 部分: 总则 ISO 527-1:2012	不测泊松比, 不能制样	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				塑料-拉伸性能的测定-第2部分：模塑和挤塑塑料的试验条件 ISO 527-2:2012	不测泊松比，不能制样	2018-09-12
				塑料拉伸性能的标准试验方法 ASTM D638-14	不测泊松比，不能制样	2018-09-12
		5	弯曲性能	塑料弯曲性能的测定 GB/T 9341-2008	不能制样	2018-09-12
				塑料-弯曲性能的测定 ISO 178:2010 (Amd. 2013)	不能制样	2018-09-12
				无增强、增强塑料和电绝缘材料弯曲性能的试验方法 ASTM D790-17	不能制样	2018-09-12
		6	压缩性能	塑料压缩性能的测定 GB/T 1041-2008	不能制样	2018-09-12
				塑料-压缩特性的测定 ISO 604:2002	不能制样	2018-09-12
		7	简支梁冲击性能	塑料 简支梁冲击性能的测定 第1部分：非仪器冲击试验 GB/T 1043.1-2008	不能制样 只测 2J, 4J	2018-09-12
				塑料 摆锤冲击性能的测定第1部分：非仪器冲击试验 ISO 179-1:2010	不能制样 只测 2J, 4J	2018-09-12
		8	悬臂梁冲击性能	塑料悬臂梁冲击强度的测定 GB/T 1843-2008	不能制样 只测 2.75J, 4J	2018-09-12
				塑料伊兆特 (Izod) 冲击强度的测定 ISO 180:2000 (Amd. 2013)	不能制样 只测 2.75J, 4J	2018-09-12
				测定塑料 IZOD 摆锤冲击强度的试验方法 ASTM D256-10 (2015)	不能制样 只测 2.75J, 4J	2018-09-12
		9	塑料吸水性	塑料吸水性的测定 GB/T 1034-2008		2018-09-12
				塑料-吸水率的测定 ISO 62:2008		2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期
		序号	名称			
				塑料吸水性试验方法 ASTM D570-98(2010)		2018-09-12
		10	燃烧特性	汽车内饰材料的燃烧特性 GB 8410-2006		2018-09-12
				农林用道路车辆、拖拉机和机械内部材料 ISO 3795:1989		2018-09-12
				机动车乘客车厢内使用的聚合材料的水平燃烧速度的标准试验方法 ASTM D5132-17		2018-09-12
				内饰材料的燃烧特性 FMVSS 302		2018-09-12
四、涂层						
涂层						
1	涂层	1	漆膜铅笔硬度	色漆和清漆 铅笔法测定漆膜硬度 GB/T 6739-2006		2018-09-12
				色漆和清漆 铅笔法测定漆膜硬度 ISO 15184:2012		2018-09-12
		2	附着力	色漆和清漆漆膜的划格试验 GB/T 9286-1998		2018-09-12
				色漆和清漆 交叉切割试验 ISO 2409:2013		2018-09-12
				涂层的胶带附着力试验 GMW14829-2017		2018-09-12
		3	耐弯曲性能	色漆和清漆弯曲试验（圆柱轴） GB/T 6742-2007		2018-09-12
				色漆和清漆 用锥形心轴仪测定涂覆有机涂层延伸率的试验方法 ASTM D522/522M-17		2018-09-12
		4	漆膜耐冲击	漆膜耐冲击测定法 GB/T 1732-1993		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		5	耐水性	漆膜耐水性测定法 GB/T 1733-1993		2018-09-12
				色漆和清漆 耐水性的测定 浸水法 GB/T 5209-1985		2018-09-12
		6	耐热性	漆膜耐热性测定 GB/T 1735-2009		2018-09-12
		7	耐液体	色漆和清漆 耐液体介质的测定 GB/T 9274-1988		2018-09-12
		8	耐湿热性	漆膜耐湿热测定法 GB/T 1740-2007		2018-09-12
		9	厚度	色漆和清漆 漆膜厚度的测定 GB/T 13452.2-2008	只用方法 6B, 7D 和 7C	2018-09-12
				色漆和清漆 漆膜厚度的测定 ISO 2808:2007	只用方法 7	2018-09-12
				磁性基体上的非磁性覆盖层. 覆盖层厚度的测量. 磁性法 ISO 2178:2016	只用方法 6B, 7D 和 7C	2018-09-12
				磁性基体上非磁性覆盖层 覆盖层厚度测量 磁性法 GB/T 4956-2003		2018-09-12
		10	光泽	色漆和清漆 不含金属颜料的色漆漆膜的 20°、60° 和 85° 镜面光泽的测定 GB/T 9754-2007	只测 20°, 60°	2018-09-12
				色漆和清漆 不含金属颜料的色漆漆膜的 20°、60° 和 85° 镜面光泽的测定 ISO 2813:2014	只测 20°, 60°	2018-09-12
		11	耐磨性	色漆和清漆 耐磨性的测定旋转橡胶砂轮法 GB/T 1768-2006	只测 CS10、H18	2018-09-12
				色漆和清漆耐磨性的测定第 2 部分: 旋转摩擦橡胶轮法 ISO 7784-2:2016	只测 CS10、H18	2018-09-12
				泰伯尔磨蚀机法测定有机涂层耐磨性试验方法 ASTM D4060-14	只测 CS10、H18	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		12	耐冲击	石击试验标准 SAE J400-2002 (R2012)	不用方法 A	2018-09-12
				涂料和清漆. 涂层的耐石片划痕的测定. 第 1 部分: 多冲击试验 DIN EN ISO 20567-1:2017		2018-09-12
				涂料和清漆. 涂层耐石片划痕测定. 多冲击测试 ISO 20567-1:2017		2018-09-12
				表面涂层抗石头冲击性 GMW14700-2017	不用方法 A	2018-09-12
		13	循环腐蚀试验	色漆和清漆. 耐周期性腐蚀的测定. 第 1 部分: 湿(盐雾)/干燥/湿度影响试验 ISO 11997-1:2017		2018-09-12
				色漆和清漆. 耐循环腐蚀环境的测定 第 1 部分: 湿(盐雾)/干燥/湿气 GB/T 31588.1-2015		2018-09-12
		14	固化试验	金属或塑料衬底油漆固化判定的溶剂擦拭法 GMW15891-2013		2018-09-12
五、道路车辆电气及电子设备						
道路车辆电气及电子设备						
1	道路车辆电气及电子设备	1	剥离试验	电镀塑料件剥离强度标准测试方法 ASTM B533-85 (2013)	只测方法 A	2018-09-12
		2	直流供电电压	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分: 电气负载 GB/T 28046.2-2011 4.2	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分: 电气负载 ISO 16750-2-2012 4.2	不测: 24V 系统	2018-09-12
		3	过电压	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分: 电气负载 GB/T 28046.2-2011 4.3	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分: 电气负载 ISO 16750-2-2012 4.3	不测: 24V 系统	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				分:电气负载 ISO 16750-2-2012 4.3		
		4	叠加交流电压	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 GB/T 28046.2-2011 4.4	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 ISO 16750-2-2012 4.4	不测: 24V 系统	2018-09-12
		5	供电电压缓降和缓升	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 GB/T 28046.2-2011 4.5	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 ISO 16750-2-2012 4.5	不测: 24V 系统	2018-09-12
		6	供电电压瞬态变化	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 GB/T 28046.2-2011 4.6	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 ISO 16750-2-2012 4.6	不测: 24V 系统 不测: 4.6.4 章节	2018-09-12
		7	反向电压	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 GB/T 28046.2-2011 4.7	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 ISO 16750-2-2012 4.7	不测: 24V 系统	2018-09-12
		8	参考接地和供电偏移	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 GB/T 28046.2-2011 4.8	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 ISO 16750-2-2012 4.8	不测: 24V 系统	2018-09-12
		9	开路试验	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 GB/T 28046.2-2011 4.9	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分:电气负载 ISO 16750-2-2012 4.9	不测: 24V 系统	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		10	短路保护	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分: 电气负载 GB/T 28046.2-2011 4.10	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分: 电气负载 ISO 16750-2-2012 4.10	不测: 24V 系统	2018-09-12
		11	耐电压	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分: 电气负载 GB/T 28046.2-2011 4.11	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分: 电气负载 ISO 16750-2-2012 4.11	不测: 24V 系统	2018-09-12
		12	绝缘电阻	道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分: 电气负载 GB/T 28046.2-2011 4.12	不测: 24V 系统	2018-09-12
				道路车辆. 电气和电子设备的环境条件和试验. 第 2 部分: 电气负载 ISO 16750-2-2012 4.12	不测: 24V 系统	2018-09-12
		13	振动	道路车辆 电气电子设备的环境条件和试验 第 3 部分: 机械负荷 GB/T 28046.3-2011 4.1		2018-09-12
				道路车辆 电气电子设备的环境条件和试验 第 3 部分: 机械负荷 ISO 16750-3-2012 4.1		2018-09-12
		14	低温试验	道路车辆电气及电子设备的环境条件和试验第 4 部分气候负荷 GB/T 28046.4-2011 5.1.1	测试温度范围: -40℃~180℃	2018-09-12
				道路车辆电气及电子设备的环境条件和试验第 4 部分气候负荷 ISO 16750-4-2010 5.1.1	测试温度范围: -40℃~180℃	2018-09-12
		15	高温试验	道路车辆电气及电子设备的环境条件和试验第 4 部分气候负荷 GB/T 28046.4-2011 5.1.2	测试温度范围: -40℃~180℃	2018-09-12
				道路车辆电气及电子设备的环境条件和试验第 4 部分气候负荷 ISO 16750-4-2010 5.1.2	测试温度范围: -40℃~180℃	2018-09-12
				电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.4.1	测试温度范围: -40℃~180℃	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		16	温度梯度	道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 GB/T 28046.4-2011 5.2	测试温度范围：-40℃~180℃	2018-09-12
				道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 ISO 16750-4-2010 5.2	测试温度范围：-40℃~180℃	2018-09-12
		17	温度循环	道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 GB/T 28046.4-2011 5.3	测试温度范围：-40℃~180℃	2018-09-12
				道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 ISO 16750-4-2010 5.3	测试温度范围：-40℃~180℃	2018-09-12
				电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.4.3	测试温度范围：-40℃~180℃	2018-09-12
		18	耐盐雾	道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 GB/T 28046.4-2011 5.5		2018-09-12
				道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 ISO 16750-4-2010 5.5		2018-09-12
				电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.4.7		2018-09-12
		19	湿热循环	道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 GB/T 28046.4-2011 5.6		2018-09-12
				道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 ISO 16750-4-2010 5.6		2018-09-12
				电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.4.5		2018-09-12
		20	稳态湿热	道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 GB/T 28046.4-2011 5.7		2018-09-12
				道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 ISO 16750-4-2010 5.7		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.4.6		2018-09-12
		21	太阳光辐射	道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 GB/T 28046.4-2011 5.9		2018-09-12
				道路车辆电气及电子设备的环境条件和试验第4部分 气候负荷 ISO 16750-4-2010 5.9		2018-09-12
		22	寄生电流	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.2.1		2018-09-12
		23	电源供电中断	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.2.2		2018-09-12
		24	电池电压跌落	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.2.3		2018-09-12
		25	叠加交流电压	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.2.4		2018-09-12
		26	脉冲叠加电压	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.2.5		2018-09-12
		27	间歇性短路	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.2.6		2018-09-12
		28	持续性短路	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.2.7		2018-09-12
		29	开路-单线中断	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.2.9		2018-09-12
		30	开路-多线中断	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.2.10		2018-09-12
		31	过负载-全电路	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.2.14		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		32	温度冲击	电子电气部件通用规范-环境/耐久 GMW 3172-2015 9.4.2	测试温度范围：-70℃~200℃	2018-09-12
六、金属材料及制品						
金属材料及制品						
1	金属材料及制品	1	拉伸试验	金属材料. 抗拉试验. 第 1 部分: 室温下的试验方法 ISO 6892-1-2016	不能制样 只测: 棒材: 直径 4~23 板材: 厚度: 0~16mm	2018-09-12
				金属材料 拉伸试验 第 1 部分: 室温试验方法 GB/T 228.1-2010	不能制样 只测: 棒材: 直径 4~23 板材: 厚度: 0~17mm	2018-09-12
		2	压缩试验	金属材料 室温压缩试验方法 GB/T 7314-2005	不能制样	2018-09-12
		3	弯曲试验	金属材料 弯曲试验方法 ISO 7438:2005	不能制样	2018-09-12
				金属材料 弯曲试验方法 GB/T 232-2010	不能制样	2018-09-12
		4	硬度试验	金属维氏硬度试验第一部分: 试验方法 GB/T 4340.1-2009		2018-09-12
				金属维氏硬度试验第一部分: 试验方法 ISO 6507-1:2005		2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期		
		序号	名称					
				金属材料. 洛氏硬度试验. 第 1 部分: 试验方法 ISO 6508-1-2016		2018-09-12		
				金属材料 洛氏硬度试验 第 1 部分: 试验方法 (A、B、C、D、E、F、G、H、K、N、T 标尺) GB/T 230.1-2009		2018-09-12		
		5	表面层深度/厚度测定	金属和氧化物覆盖层 厚度测试 显微镜法 ISO 1463:2003		2018-09-12		
				金属和氧化物覆盖层 厚度测试 显微镜法 GB/T 6462-2005		2018-09-12		
		6	盐雾	金属和合金的腐蚀. 干和湿条件下曝露于酸性盐喷雾中的加速循环试验 ISO 16151-2005		2018-09-12		
				涂料技术检验周期性交变应力下机动车漆膜的抗腐蚀性检验 VDA-621-415:1982		2018-09-12		
				车 身 及 附 件 腐 蚀 试 验 PV 1210:2010-02		2018-09-12		
				铜加速乙酸盐雾试验 GMW 14458-2011		2018-09-12		
				金属和合金的腐蚀酸性盐雾、“干燥”和“湿润”条件下的循环加速腐蚀试验 GB/T 24195-2009		2018-09-12		
		七、汽车零部件及材料						
		汽车零部件及材料						
1	汽车零部件及材料	1	振动	总体宽度小于 2032mm 的机动车辆用照明装置及元件的试验方法和设备 SAE J575-2015 4.2	只测试方法 b	2018-09-12		
		2	防尘	汽车零部件. 照明和照明信号装置 JIS D5500-1995 4.9		2018-09-12		
				空气滤清器试验规程 SAE J726-2002		2018-09-12		



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期
		序号	名称			
		3	耐磨性	汽车用织物、乙烯树脂和皮革的耐磨性及汽车用织物耐粗磨性测定的试验方法 SAE J948-2017	只测：H-18 和 CS-10 摩擦轮	2018-09-12
		4	燃烧特性	汽车内饰材料燃烧特性 GMW 3232-2011		2018-09-12
		5	耐清洗剂	耐化学液体性 GMW 14334-2016		2018-09-12
		6	冷凝水/水雾试验	高湿试验 GMW 14729-2015		2018-09-12
		7	环境循环	汽车环境循环 GMW14124-2012		2018-09-12
		8	汽车内饰件中可冷凝组分	汽车内饰件雾度特性测试方法 J1756-2006-08		2018-09-12
八、绝缘物质						
绝缘物质和绝缘体						
1	绝缘物质和绝缘体	1	低压系统内设备的绝缘配合	低压系统内设备的绝缘配合 第 4 部分：高频电压应力考虑事项 GB/T 16935.4-2011		2018-09-12
				低压系统内设备的绝缘配合. 第 1 部分：原则、要求和试验 IEC 60664-1:2007 EN 60664-1:2007		2018-09-12
九、家用电器						
1、家用和类似用途电器						
1	家用和类似用途电器	1	标志和说明	家电和类似用途电器的安全 第 1 部分：通用要求 GB 4706.1-2005 7		2018-09-12
				家电和类似用途电器的安全 第 1 部分：通用要求 IEC		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 7		
		2	对触及带电部件的防护	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 8	不测: 三相器具	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 8	不测: 三相器具	2018-09-12
		3	电动器具的启动	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 9	不测: 三相器具	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 9	不测: 三相器具	2018-09-12
		4	输入功率和电流	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 10	不测: 三相器具	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 10	不测: 三相器具	2018-09-12
		5	发热	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 11	不测: 三相器具	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 11	不测: 三相器具	2018-09-12
		6	工作温度下的泄露电流和电气强度	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 13	不测: 三相器具	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-	不测: 三相器具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				1:2012+A11:2014+A13:2017 13		
		7	瞬态过电压	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 14		2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 14		2018-09-12
		8	耐潮湿	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 15		2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 15		2018-09-12
		9	泄露电流和电气强度	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 16		2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 16		2018-09-12
		10	变压器和相关电路的过载保护	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 17	不测: 三相器具	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 17	不测: 三相器具	2018-09-12
		11	耐久性	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 18	不测: 三相器具	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-	不测: 三相器具	2018-09-12



No. CNAS L6481

第 25 页 共 103 页

在线扫码获取验证

序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				1:2012+A11:2014+A13:2017 18		
		12	非正常工作	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 19	不测: 19.11.4 电磁兼容; 三相器具	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 19	不测: 19.11.4 电磁兼容; 三相器具	2018-09-12
		13	稳定性和机械危险	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 20		2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 20		2018-09-12
		14	机械强度	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 21	不测: 21.2 刮蹭试验	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 21	不测: 21.2 刮蹭试验	2018-09-12
		15	结构	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 22	不测: 22.32 氧弹测试, 品红测试, 22.46 软件评估, 22.48 防倒虹吸试验	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 22	不测: 22.32 氧弹测试, 品红测试, 22.46 软件评估, 22.48 防倒虹吸试验	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
					验	
		16	内部导线	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 23 家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 23		2018-09-12 2018-09-12
		17	元件	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 24 家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 24	不测: 24.1.4 自动控制器, 24.1.5 耦合器, 24.1.6 灯座; 三相器具 不测: 24.1.4 自动控制器, 24.1.5 耦合器, 24.1.6 灯座; 三相器具	2018-09-12 2018-09-12
		18	电源连接和外部软线	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 25 家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 25		2018-09-12 2018-09-12
		19	外部导线用接线端子	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 26 家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-		2018-09-12 2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				1:2012+A11:2014+A13:2017 26		
		20	接地措施	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 27	不测: 27.4 镀层试验	2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 27	不测: 27.4 镀层试验	2018-09-12
		21	螺钉和连接	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 28		2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 28		2018-09-12
		22	电气间隙, 爬电距离和固体绝缘	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 29		2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 29		2018-09-12
		23	耐热和耐燃	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 30		2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 30		2018-09-12
		24	防锈	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 31		2018-09-12
				家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-		2018-09-12



No. CNAS L6481

第 28 页 共 103 页

在线扫码获取验证

序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				1:2012+A11:2014+A13:2017 31		
		25	由充电电池供电的器具	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 附录B 家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 附录B		2018-09-12
		26	电动机热保护器	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 附录D 家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 附录D	不测: 三相器具	2018-09-12
		27	针焰试验	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 附录E 家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 附录E		2018-09-12
		28	安全隔离变压器	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 附录G 家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 附录G	不测: 三相器具	2018-09-12
		29	不适用于器具额定电压的经具有基本绝缘的电动机	家电和类似用途电器的安全 第1部分:通用要求 GB 4706.1-2005 附录I 家电和类似用途电器的安全 第1部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-	不测: 三相器具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				1:2012+A11:2014+A13:2017 附录 I		
		30	耐漏电起痕试验	家电和类似用途电器的安全 第 1 部分:通用要求 GB 4706.1-2005 附录 N		2018-09-12
				家电和类似用途电器的安全 第 1 部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 附录 N		2018-09-12
		31	对于湿热气候中所用器具的标准应用导则	家电和类似用途电器的安全 第 1 部分:通用要求 GB 4706.1-2005 附录 P	不测: 三相器具	2018-09-12
				家电和类似用途电器的安全 第 1 部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 附录 P	不测: 三相器具	2018-09-12
		32	由不可再充电电池或不在器具内充电电池供电的器具	家电和类似用途电器的安全 第 1 部分:通用要求 GB 4706.1-2005 附录 S		2018-09-12
				家电和类似用途电器的安全 第 1 部分:通用要求 IEC 60335-1:2010+A1:2013+A2:2016, EN 60335-1:2012+A11:2014+A13:2017 附录 S		2018-09-12
2、真空吸尘器和吸水式清洁器						
1	真空吸尘器和吸水式清洁器具	1	标志和说明	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 7		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 7		2018-09-12
		2	对触及带电部件的防护	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 8	不测: 三相器具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		3	输入功率和电流	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 8	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 10	不测: 三相器具	2018-09-12
		4	发热	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 10	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 11	不测: 三相器具	2018-09-12
		5	工作温度下的泄露电流和电气强度	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 11	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 13	不测: 三相器具	2018-09-12
		6	瞬态过电压	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 13	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 14	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 13	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 14	不测: 三相器具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 14		
		7	耐潮湿	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 15		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 15		2018-09-12
		8	泄露电流和电气强度	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 16	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 16	不测: 三相器具	2018-09-12
		9	变压器和相关电路的过载保护	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 17	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 17	不测: 三相器具	2018-09-12
		10	非正常工作	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 19	不测: 19.11.4 电磁兼容; 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 19	不测: 19.11.4 电磁兼容; 三相器具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		11	稳定性和机械危险	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 20		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 20		2018-09-12
		12	机械强度	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 21	不测: 21.2 刮蹭试验, 21.101 载流管耐挤压, 21.102 载流管耐磨损, 21.103 载流管耐弯曲, 21.104 载流管耐扭曲, 21.105 载流管耐寒冷	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 21	不测: 21.2 刮蹭试验, 21.101 载流管耐挤压, 21.102 载流管耐磨损, 21.103 载流管耐弯曲, 21.104 载流管耐扭曲, 21.105 载流管耐寒冷	2018-09-12
		13	结构	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 22	不测: 22.32 氧弹测试, 品红测试,	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 22	22.46 软件评估, 22.48 防倒虹吸试验	
		14	内部导线	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 23	不测: 22.32 氧弹测试, 品红测试, 22.46 软件评估, 22.48 防倒虹吸试验	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 23		2018-09-12
		15	元件	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 24	不测: 24.1.4 自动控制器, 24.1.5 耦合器试验, 24.1.6 灯座; 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 24	不测: 24.1.4 自动控制器, 24.1.5 耦合器试验, 24.1.6 灯座; 三相器具	2018-09-12
		16	电源连接和外部软线	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 25		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		17	外部导线用接线端子	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 25		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 26		2018-09-12
		18	接地措施	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 26		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 27	不测: 27.4 镀层试验	2018-09-12
		19	螺钉和连接	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 27	不测: 27.4 镀层试验	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 28		2018-09-12
		20	电气间隙, 爬电距离和固体绝缘	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 28		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 29		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 29		
		21	耐热和耐燃	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 30		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 30		2018-09-12
		22	防锈	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 31		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 31		2018-09-12
		23	由充电电池供电的器具	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 附录 B		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 附录 B		2018-09-12
		24	电动机热保护器	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 附录 D	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 附录 D	不测: 三相器具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		25	针焰试验	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 附录 E		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 附录 E		2018-09-12
		26	安全隔离变压器	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 附录 G	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 附录 G	不测: 三相器具	2018-09-12
		27	不适用于器具额定电压的经具有基本绝缘的电动机	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 附录 I	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 附录 I	不测: 三相器具	2018-09-12
		28	耐漏电起痕试验	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 附录 N		2018-09-12
				家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 附录 N		2018-09-12
		29	对于湿热气候中所用器具的	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 附录 P	不测: 三相器具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
			标准应用导则	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 附录 P	不测: 三相器具	2018-09-12
		30	由不可再充电电池或不在器具内充电电池供电的器具	家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 GB4706.7-2014 附录 S 家用和类似用途电器的安全 第 2-2 部分:真空吸尘器和吸水式清洁器具的特殊要求 IEC 60335-2-2:2009+A1:2012+A2:2016, EN 60335-2-2:2010+A11:2012+A1:2013 附录 S		2018-09-12 2018-09-12
3、厨房机械						
1	厨房机械	1	标志和说明	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 7		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 7		2018-09-12
		2	对触及带电部件的防护	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 8	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 8	不测: 三相器具	2018-09-12
		3	输入功率和电流	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 10	不测: 带蛋糕糊状物搅打器的食品混合器; 三相器具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		4	发热	家用和类似用途电器的安全 第2-14部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 10	不测: 带蛋糕糊状物搅打器的食品混合器; 三相器具	2018-09-12
				家用和类似用途电器的安全 第2-14部分:厨房机械的特殊要求 GB 4706.30-2008 11	不测: 带蛋糕糊状物搅打器的食品混合器; 三相器具	2018-09-12
				家用和类似用途电器的安全 第2-14部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 11	不测: 带蛋糕糊状物搅打器的食品混合器; 三相器具	2018-09-12
		5	工作温度下的泄露电流和电气强度	家用和类似用途电器的安全 第2-14部分:厨房机械的特殊要求 GB 4706.30-2008 13	不测: 带蛋糕糊状物搅打器的食品混合器; 三相器具	2018-09-12
				家用和类似用途电器的安全 第2-14部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 13	不测: 带蛋糕糊状物搅打器的食品混合器; 三相器具	2018-09-12
		6	瞬态过电压	家用和类似用途电器的安全 第2-14部分:厨房机械的特殊要求 GB 4706.30-2008 14		2018-09-12
				家用和类似用途电器的安全 第2-14部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 14		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		7	耐潮湿	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 15		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 15		2018-09-12
		8	泄露电流和电气强度	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 16	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 16	不测: 三相器具	2018-09-12
		9	变压器和相关电路的过载保护	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 17	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 17	不测: 三相器具	2018-09-12
		10	非正常工作	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 19	不测: 19.11.4 电磁兼容, 19.102 花岗岩碎片测试; 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 19	不测: 19.11.4 电磁兼容, 19.102 花岗岩碎片测试; 三相器具	2018-09-12
		11	稳定性和机械危险	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 20		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		12	机械强度	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 20		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 21	不测: 21.2 刮蹭试验	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 21	不测: 21.2 刮蹭试验	2018-09-12
		13	结构	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 22	不测: 22.32 氧弹测试, 品红测试, 22.46 软件评估, 22.48 防倒虹吸试验	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 22	不测: 22.32 氧弹测试, 品红测试, 22.46 软件评估, 22.48 防倒虹吸试验	2018-09-12
		14	内部导线	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 23		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 23		2018-09-12
		15	元件	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 24	不测: 24.1.4 自动控制器, 24.1.5 耦合器试	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 24	验, 24.1.6 灯座, 三相器具	
		16	电源连接和外部软线	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 25	不测: 24.1.4 自动控制器, 24.1.5 耦合器试验, 24.1.6 灯座, 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 25	不测: 25.7 电源线低温测试	2018-09-12
		17	外部导线用接线端子	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 26		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 26		2018-09-12
		18	接地措施	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 27	不测: 27.4 镀层试验	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 27	不测: 27.4 镀层试验	2018-09-12
		19	螺钉和连接	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 28		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016,		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				EN 60335-2-14:2017 28		
		20	电气间隙，爬电距离和固体绝缘	家用和类似用途电器的安全 第 2-14 部分：厨房机械的特殊要求 GB 4706.30-2008 29		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分：厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 29		2018-09-12
		21	耐热和耐燃	家用和类似用途电器的安全 第 2-14 部分：厨房机械的特殊要求 GB 4706.30-2008 30		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分：厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 30		2018-09-12
		22	防锈	家用和类似用途电器的安全 第 2-14 部分：厨房机械的特殊要求 GB 4706.30-2008 31		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分：厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 31		2018-09-12
		23	由充电电池供电的器具	家用和类似用途电器的安全 第 2-14 部分：厨房机械的特殊要求 GB 4706.30-2008 附录 B		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分：厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 附录 B		2018-09-12
		24	电动机热保护器	家用和类似用途电器的安全 第 2-14 部分：厨房机械的特殊要求 GB 4706.30-2008 附录 D	不测：三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分：厨房机械的特殊要求 IEC 60335-2-14:2016,	不测：三相器具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				EN 60335-2-14:2017 附录 D		
		25	针焰试验	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 附录 E		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 附录 E		2018-09-12
		26	安全隔离变压器	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 附录 G	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 附录 G	不测: 三相器具	2018-09-12
		27	不适用于器具额定电压的经具有基本绝缘的电动机	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 附录 I	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 附录 I	不测: 三相器具	2018-09-12
		28	耐漏电起痕试验	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 附录 N		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 附录 N		2018-09-12
		29	对于湿热气候中所用器具的标准应用导则	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 附录 P	不测: 三相器具	2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016,	不测: 三相器具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				EN 60335-2-14:2017 附录 P		
		30	由不可再充电池或不在器具内充电电池供电的器具	家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 GB 4706.30-2008 附录 S		2018-09-12
				家用和类似用途电器的安全 第 2-14 部分:厨房机械的特殊要求 IEC 60335-2-14:2016, EN 60335-2-14:2017 附录 S		2018-09-12
4、家用电器						
1	小家电	1	功耗测量	进出口机电产品测量方法 第 3 部分:家用电器待机功耗的测量 IEC 62301:2011	不测: 三相器具	2018-09-12
				进出口机电产品测量方法 第 3 部分:家用电器待机功耗的测量 EN 50564:2011	不测: 三相器具	2018-09-12
十、电池及配件						
镍电池 镍电芯						
1	镍电池 镍电芯	1	绝缘阻抗	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 2.1		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式应用程序用便携式密封二次电池和电池的安全要求--第 1 部分:镍系统 IEC 62133-1:2017, EN 62133-1:2017 5.2		2018-09-12
		2	连续低倍率充电	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.2.1		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		3	模制壳体承受高温的能力	含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式应用程序用便携式密封二次电池和电池的安全要求--第1部分:镍系统 IEC 62133-1:2017, EN 62133-1:2017 7.2.1		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.2.3		2018-09-12
		4	温度循环	含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式应用程序用便携式密封二次电池和电池的安全要求--第1部分:镍系统 IEC 62133-1:2017, EN 62133-1:2017 7.2.3		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.2.4		2018-09-12
		5	一个单体电池的 错误安装	含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式应用程序用便携式密封二次电池和电池的安全要求--第1部分:镍系统 IEC 62133-1:2017, EN 62133-1:2017 7.2.4		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.3.1		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式应用程序用便携式密封二次电池和电池的安全要求--第1部分:镍系统 IEC 62133-1:2017, EN 62133-1:2017 7.3.1		2018-09-12
						2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		6	外部短路	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.3.2		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式应用程序用便携式密封二次电池和电池的安全要求--第1部分:镍系统 IEC 62133-1:2017, EN 62133-1:2017 7.3.2		2018-09-12
		7	热滥用	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.3.5		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式应用程序用便携式密封二次电池和电池的安全要求--第1部分:镍系统 IEC 62133-1:2017, EN 62133-1:2017 7.3.5		2018-09-12
		8	过充电	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.3.8		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式应用程序用便携式密封二次电池和电池的安全要求--第1部分:镍系统 IEC 62133-1:2017, EN 62133-1:2017 7.3.8		2018-09-12
		9	强制放电	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.3.9		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式应用程序用便携式密封二次电池和电池的安全要求--		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				第1部分:镍系统 IEC 62133-1:2017, EN 62133-1:2017 7.3.9		
锂电池 锂电芯						
1	锂电池 锂电芯	1	绝缘电阻	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 2.1		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式密封蓄电池和蓄电池组的安全要求--第2部分:锂系统 IEC 62133-2:2017, EN 62133-2:2017 5.2		2018-09-12
		2	连续恒压充电	含碱性或其他非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 第1部分:锂系统 IEC 62133-2:2017, EN 62133-2:2017 7.2.1		2018-09-12
		3	模制壳体承受高温的能力	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.2.3		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携式密封蓄电池和蓄电池组的安全要求--第2部分:锂系统 IEC 62133-2:2017, EN 62133-2:2017 7.2.2		2018-09-12
		4	外部短路	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.3.2		2018-09-12
				含碱性或其它非酸性电解质的蓄电池和蓄电池组--便携		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				式密封蓄电池和蓄电池组的安全要求—第2部分:锂系统 IEC 62133-2:2017, EN 62133-2:2017 7.3.1, 7.3.2		
		5	热滥用	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.3.5 含碱性或其它非酸性电解质的蓄电池和蓄电池组—便携式密封蓄电池和蓄电池组的安全要求—第2部分:锂系统 IEC 62133-2:2017, EN 62133-2:2017 7.3.4		2018-09-12
		6	过充电	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.3.9 含碱性或其它非酸性电解质的蓄电池和蓄电池组—便携式密封蓄电池和蓄电池组的安全要求—第2部分:锂系统 IEC 62133-2:2017, EN 62133-2:2017 7.3.6		2018-09-12
		7	强制放电	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011 4.3.10 含碱性或其它非酸性电解质的蓄电池和蓄电池组—便携式密封蓄电池和蓄电池组的安全要求—第2部分:锂系统 IEC 62133-2:2017, EN 62133-2:2017 7.3.7		2018-09-12
		8	蓄电池防高充电率充电保护	含碱性或其它非酸性电解质的蓄电池和蓄电池组 便携式密封蓄电池和蓄电池组的安全性要求 GB 28164-2011		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				4.3.11		
十一、灯及灯具						
灯具						
1	灯具	1	标记	灯具 第1部分：一般要求与试验 GB 7000.1-2015 3		2018-09-12
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 3		2018-09-12
		2	结构	灯具 第1部分：一般要求与试验 GB 7000.1-2015 4	不测 4.18(腐蚀性) 4.24(光生物危害)	2018-09-12
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 4	不测 4.18(腐蚀性) 4.24(光生物危害)	2018-09-12
		3	外部接线和内部接线	灯具 第1部分：一般要求与试验 GB 7000.1-2015 5		2018-09-12
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 5		2018-09-12
		4	接地规定	灯具 第1部分：一般要求与试验 GB 7000.1-2015 7		2018-09-12
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 7		2018-09-12
		5	防触电保护	灯具 第1部分：一般要求与试验 GB 7000.1-2015 8		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 8		2018-09-12
		6	防尘、防固体异物和防水	灯具 第1部分：一般要求与试验 GB 7000.1-2015 9	不测：压力水密灯具	2018-09-12
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 9	不测：压力水密灯具	2018-09-12
		7	绝缘电阻和电气强度、接触电流、保护导体电流	灯具 第1部分：一般要求与试验 GB 7000.1-2015 10		2018-09-12
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 10		2018-09-12
		8	爬电距离和电气间隙	灯具 第1部分：一般要求与试验 GB 7000.1-2015 11		2018-09-12
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 11		2018-09-12
		9	耐久性和热试验	灯具 第1部分：一般要求与试验 GB 7000.1-2015 12		2018-09-12
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 12		2018-09-12
		10	耐热、耐火和耐起痕	灯具 第1部分：一般要求与试验 GB 7000.1-2015 13		2018-09-12
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 13		2018-09-12
		11	螺纹接线端子	灯具 第1部分：一般要求与试验 GB 7000.1-2015 14		2018-09-12
				灯具 第1部分：一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 14		2018-09-12
		12	无螺纹接线端	灯具 第1部分：一般要求与试验 GB 7000.1-2015 15		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
			子和电气连接件	灯具 第 1 部分:一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 15		2018-09-12
		13	确定导电部件是否会引起触电的试验	灯具 第 1 部分:一般要求与试验 GB 7000.1-2015 附录 A		2018-09-12
				灯具 第 1 部分:一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 附录 A		2018-09-12
		14	接触电流和保护导体电流的测量	灯具 第 1 部分:一般要求与试验 GB 7000.1-2015 附录 G		2018-09-12
				灯具 第 1 部分:一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 附录 G		2018-09-12
		15	用于直接与灯具外壳或壳体部件连接的带有一体化无螺纹接地触点的接线端子座的附加试验要求	灯具 第 1 部分:一般要求与试验 GB 7000.1-2015 附录 V		2018-09-12
				灯具 第 1 部分:一般要求与试验 IEC 60598-1:2014, EN 60598-1:2015, AS/NZS 60598.1:2017 附录 V		2018-09-12
固定式灯具						
1	固定式灯具	1	标记	灯具 第 2-1 部分: 特殊要求 固定式通用灯具 GB 7000.201-2008 5		2018-09-12
				灯具 第 2-1 部分: 特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987 EN 60598-2-1:1989 AS/NZS 60598.2.1: 2014+A1:2016 1.5		2018-09-12
		2	结构	灯具 第 2-1 部分: 特殊要求 固定式通用灯具 GB 7000.201-2008 6	不测: 防腐蚀性、光生物危害	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				灯具 第 2-1 部分：特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987 EN 60598-2-1:1989 AS/NZS 60598.2.1: 2014+A1:2016 1.6	不测：防腐蚀性、光生物危害	2018-09-12
				灯具 第 2-1 部分：特殊要求 固定式通用灯具 GB 7000.201-2008 10		2018-09-12
		3	外部接线和内部接线	灯具 第 2-1 部分：特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987 EN 60598-2-1:1989 AS/NZS 60598.2.1: 2014+A1:2016 1.10		2018-09-12
				灯具 第 2-1 部分：特殊要求 固定式通用灯具 GB 7000.201-2008 8		2018-09-12
		4	接地规定	灯具 第 2-1 部分：特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987 EN 60598-2-1:1989 AS/NZS 60598.2.1: 2014+A1:2016 1.8		2018-09-12
				灯具 第 2-1 部分：特殊要求 固定式通用灯具 GB 7000.201-2008 11		2018-09-12
		5	防触电保护	灯具 第 2-1 部分：特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987 EN 60598-2-1:1989 AS/NZS 60598.2.1: 2014+A1:2016 1.11		2018-09-12
				灯具 第 2-1 部分：特殊要求 固定式通用灯具 GB 7000.201-2008 13	不测：压力水密灯具	2018-09-12
		6	防尘、防固体异物和防水	灯具 第 2-1 部分：特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987 EN 60598-2-1:1989AS/NZS	不测：压力水密灯具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				60598.2.1: 2014+A1:2016 1.13		
		7	绝缘电阻和电气强度	灯具 第2-1部分: 特殊要求 固定式通用灯具 GB 7000.201-2008 14 灯具 第2-1部分: 特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987 EN 60598-2-1:1989 AS/NZS 60598.2.1: 2014+A1:2016 1.14		2018-09-12
		8	爬电距离和电气间隙	灯具 第2-1部分: 特殊要求 固定式通用灯具 GB 7000.201-2008 7 灯具 第2-1部分: 特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987 EN 60598-2-1:1989 AS/NZS 60598.2.1: 2014+A1:2016 1.7		2018-09-12
		9	耐久性和热试验	灯具 第2-1部分: 特殊要求 固定式通用灯具 GB 7000.201-2008 12 灯具 第2-1部分: 特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987 EN 60598-2-1:1989 AS/NZS 60598.2.1: 2014+A1:2016 1.12		2018-09-12
		10	耐热、耐火和耐起痕	灯具 第2-1部分: 特殊要求 固定式通用灯具 GB 7000.201-2008 15 灯具 第2-1部分: 特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987 EN 60598-2-1:1989 AS/NZS 60598.2.1: 2014+A1:2016 1.15		2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期		
		序号	名称					
		11	接线端子	灯具 第 2-1 部分：特殊要求 固定式通用灯具 GB 7000.201-2008 9		2018-09-12		
				灯具 第 2-1 部分：特殊要求 固定式通用灯具 IEC 60598-2-1:1979 + A1:1987		2018-09-12		
				EN 60598-2-1:1989				
				AS/NZS 60598.2.1: 2014+A1:2016 1.9				
可移式通用灯具								
1	可移式通用灯具	1	标记	灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 5		2018-09-12		
				灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017		2018-09-12		
				EN 60598-2-4:1997				
				2	结构	AS/NZS 60598.2.4: 2005+A1:2007 4.5		
		灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 6	不测： 腐蚀性、光生物危害			2018-09-12		
		灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017	不测： 腐蚀性、光生物危害			2018-09-12		
				3	外部接线和内部接线	EN 60598-2-4:1997		
		AS/NZS 60598.2.4: 2005+A1:2007 4.6						
灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 10		2018-09-12						
				灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017		2018-09-12		
				EN 60598-2-4:1997				
				AS/NZS 60598.2.4: 2005+A1:2007 4.10				



No. CNAS L6481

第 55 页 共 103 页

在线扫码获取验证

序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		4	接地规定	灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 8		2018-09-12
				灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017 EN 60598-2-4:1997 AS/NZS 60598.2.4: 2005+A1:2007 4.8		2018-09-12
		5	防触电保护	灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 11		2018-09-12
				灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017 EN 60598-2-4:1997 AS/NZS 60598.2.4: 2005+A1:2007 4.11		2018-09-12
		6	防尘、防固体异物和防水	灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 13	不测：压力水密灯具	2018-09-12
				灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017 EN 60598-2-4:1997 AS/NZS 60598.2.4: 2005+A1:2007 4.13	不测：压力水密灯具	2018-09-12
		7	绝缘电阻和电气强度	灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 14		2018-09-12
				灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017 EN 60598-2-4:1997 AS/NZS 60598.2.4: 2005+A1:2007 4.14		2018-09-12
		8	爬电距离和电气间隙	灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 7		2018-09-12



No. CNAS L6481

第 56 页 共 103 页

序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期		
		序号	名称					
				灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017 EN 60598-2-4:1997 AS/NZS 60598.2.4: 2005+A1:2007 4.7		2018-09-12		
				9	耐久性和热试验	灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 12		2018-09-12
						灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017 EN 60598-2-4:1997 AS/NZS 60598.2.4: 2005+A1:2007 4.12		2018-09-12
		10	耐热、耐火和耐起痕	灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 15		2018-09-12		
				灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017 EN 60598-2-4:1997 AS/NZS 60598.2.4: 2005+A1:2007 4.15		2018-09-12		
		11	接线端子	灯具 第 2-4 部分：特殊要求 可移式通用灯具 GB 7000.204-2008 9		2018-09-12		
				灯具 第 2-4 部分：特殊要求 可移式通用灯具 IEC 60598-2-4:2017 EN 60598-2-4:1997 AS/NZS 60598.2.4: 2005+A1:2007 4.10		2018-09-12		
				投光灯具				
		1	投光灯具	1	标记	灯具 第 2-5 部分：特殊要求 投光灯具 GB 7000.7-2005 5		2018-09-12



序号	检测对象	项目/参数		检测标准 (方法)	说明	生效日期
		序号	名称			
		2	结构	灯具 第2-5部分: 特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015 AS/NZS 60598.2.5: 2002 5.5		2018-09-12
				灯具 第2-5部分: 特殊要求 投光灯具 GB 7000.7-2005 6	不测: 腐蚀性、光生物危害, 6.8(玻璃罩击碎测试和玻璃罩冲击测试)	2018-09-12
				灯具 第2-5部分: 特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015 AS/NZS 60598.2.5: 2002 5.6	不测: 腐蚀性、光生物危害, 5.6.8.1(玻璃罩击碎测试), 5.6.8.2(玻璃罩冲击测试)	2018-09-12
				灯具 第2-5部分: 特殊要求 投光灯具 GB 7000.7-2005 10		2018-09-12
		3	外部接线和内部接线	灯具 第2-5部分: 特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015 AS/NZS 60598.2.5: 2002 5.10		2018-09-12
				灯具 第2-5部分: 特殊要求 投光灯具 GB 7000.7-2005 8		2018-09-12
		4	接地规定	灯具 第2-5部分: 特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015		2018-09-12
				灯具 第2-5部分: 特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				AS/NZS 60598.2.5: 2002 5.8		
		5	防触电保护	灯具 第2-5部分: 特殊要求 投光灯具 GB 7000.7-2005 灯具 第2-5部分: 特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015AS/NZS 60598.2.5: 2002 5.11		2018-09-12
		6	防尘和防水	灯具 第2-5部分: 特殊要求 投光灯具 GB 7000.7-2005 13 灯具 第2-5部分: 特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015AS/NZS 60598.2.5: 2002 5.13	不测: 压力水密灯具	2018-09-12
		7	绝缘电阻和电气强度	灯具 第2-5部分: 特殊要求 投光灯具 GB 7000.7-2005 14 灯具 第2-5部分: 特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015 AS/NZS 60598.2.5: 2002 5.14	不测: 压力水密灯具	2018-09-12
		8	爬电距离和电气间隙	灯具 第2-5部分: 特殊要求 投光灯具 GB 7000.7-2005 7 灯具 第2-5部分: 特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015 AS/NZS 60598.2.5: 2002 5.7		2018-09-12
		9	耐久性和热试验	灯具 第2-5部分: 特殊要求 投光灯具 GB 7000.7-2005 12		2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期
		序号	名称			
				灯具 第 2-5 部分：特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015 AS/NZS 60598.2.5: 2002 5.12		2018-09-12
				10	耐热、耐火和耐起痕	灯具 第 2-5 部分：特殊要求 投光灯具 GB 7000.7-2005 15
		灯具 第 2-5 部分：特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015 AS/NZS 60598.2.5: 2002 5.15				2018-09-12
		11	接线端子	灯具 第 2-5 部分：特殊要求 投光灯具 GB 7000.7-2005 9		2018-09-12
				灯具 第 2-5 部分：特殊要求 投光灯具 IEC 60598-2-5:2015, EN 60598-2-5:2015 AS/NZS 60598.2.5: 2002 5.9		2018-09-12
		庭园用可移式灯具				
1	庭园用可移式灯具	1	标记	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 5		2018-09-12
				灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997 AS/NZS 60598.2.7: 2005 7.5		2018-09-12
		2	结构	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 6	不测：防腐蚀性、光生物危害	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		3	外部接线和内部接线	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997AS/NZS 60598.2.7: 2005 7.6	不测：防腐蚀性、光生物危害	2018-09-12
				灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 10		2018-09-12
				灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997 AS/NZS 60598.2.7: 2005 7.10		2018-09-12
		4	接地规定	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 8		2018-09-12
				灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997 AS/NZS 60598.2.7: 2005 7.8		2018-09-12
		5	防触电保护	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 11		2018-09-12
				灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997 AS/NZS 60598.2.7: 2005 7.11		2018-09-12
		6	防尘和防水	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 13	不测：压力水密灯具	2018-09-12
				灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997AS/NZS 60598.2.7: 2005	不测：压力水密灯具	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				7.13		
		7	绝缘电阻和电气强度	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 14 灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997 AS/NZS 60598.2.7: 2005 7.14		2018-09-12
		8	爬电距离和电气间隙	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 7 灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997 AS/NZS 60598.2.7: 2005 7.7		2018-09-12
		9	耐久性和热试验	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 12 灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997 AS/NZS 60598.2.7: 2005 7.12		2018-09-12
		10	耐热、耐火和耐起痕	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 15 灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997 AS/NZS 60598.2.7: 2005 7.15		2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期
		序号	名称			
		11	接线端子	灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 GB 7000.207-2008 9		2018-09-12
				灯具 第 2-7 部分：特殊要求 庭院用可移式灯具 IEC 60598-2-7:1982+A1:1987+A2:1994 EN 60598-2-7:1989+A2:1996+A13:1997 AS/NZS 60598.2.7: 2005 7.9		2018-09-12
电源插座安装的夜灯						
1	电源插座安装的夜灯	1	标记	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 5		2018-09-12
				灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12: 2013 EN 60598-2-12:2013 AS/NZS 60598.2.12:2015 12.6		2018-09-12
		2	结构	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 6	不测：防腐蚀性、光生物危害, 6.1, 6.2 插头测量; 6.11 带场致发光板的电源插座安装的夜灯	2018-09-12
				灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12: 2013EN 60598-2-12:2013AS/NZS 60598.2.12:2015 12.7	不测:防腐蚀性、光生物危害, 12.6.1, 12.6.2 插头测量; 12.6.11 带场致发光板的电源插座安装的夜灯	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		3	外部接线和内部接线	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 7	不测：6.1，6.2 插头测量	2018-09-12
				灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12：2013EN 60598-2-12:2013AS/NZS 60598.2.12:2015 12.8	不测：12.6.1，12.6.2 插头测量；	2018-09-12
		4	接地规定	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 8		2018-09-12
				灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12：2013 EN 60598-2-12:2013 AS/NZS 60598.2.12:2015 12.9		2018-09-12
		5	防触电保护	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 9		2018-09-12
				灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12：2013 EN 60598-2-12:2013 AS/NZS 60598.2.12:2015 12.10		2018-09-12
		6	防尘、防固体异物和防水	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 10	不测：压力水密灯具	2018-09-12
				灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12：2013EN 60598-2-12:2013AS/NZS 60598.2.12:2015 12.11	不测：压力水密灯具	2018-09-12
		7	绝缘电阻和电气强度	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 11		2018-09-12
				灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12：2013		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				EN 60598-2-12:2013 AS/NZS 60598.2.12:2015 12.12		
		8	爬电距离和电气间隙	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 12 灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12: 2013 EN 60598-2-12:2013 AS/NZS 60598.2.12:2015 12.13		2018-09-12 2018-09-12
		9	耐久性和热试验	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 13 灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12: 2013 EN 60598-2-12:2013 AS/NZS 60598.2.12:2015 12.14		2018-09-12 2018-09-12
		10	耐热、耐火和耐起痕	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 14 灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12: 2013 EN 60598-2-12:2013 AS/NZS 60598.2.12:2015 12.15		2018-09-12 2018-09-12
		11	螺纹接线端子	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 15 灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12: 2013 EN 60598-2-12:2013 AS/NZS 60598.2.12:2015 12.16		2018-09-12 2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期
		序号	名称			
		12	无螺纹接线端子	灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 GB 7000.212-2008 16		2018-09-12
				灯具 第 2-12 部分：特殊要求 电源插座安装的夜灯 IEC 60598-2-12: 2013		2018-09-12
				EN 60598-2-12:2013		
				AS/NZS 60598.2.12:2015 12.17		
灯串						
1	灯串	1	标记	灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 5		2018-09-12
				灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014, EN 60598-2-20:2015, AS/NZS 60598.2.20:2002 20.6		2018-09-12
		2	结构	灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 6	不测:防腐蚀性、光生物危害, 6.14(密封灯串机械强度)	2018-09-12
				灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014, EN 60598-2-20:2015, AS/NZS 60598.2.20:2002 20.7	不测:防腐蚀性、光生物危害, 6.14(密封灯串机械强度)	2018-09-12
		3	外部接线和内部接线	灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 10		2018-09-12
				灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014, EN 60598-2-20:2015, AS/NZS 60598.2.20:2002 20.11		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		4	接地规定	灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 8		2018-09-12
				灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014, EN 60598-2-20:2015, AS/NZS 60598.2.20:2002 20.9		2018-09-12
		5	防触电保护	灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 11	不测：11.3(推入灯座接触试验)	2018-09-12
				灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014, EN 60598-2-20:2015, AS/NZS 60598.2.20:2002 20.12	不测：20.12.4(推入灯座接触试验)	2018-09-12
		6	防尘、防固体异物和防水	灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 13	不测：压力水密灯具	2018-09-12
				灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014, EN 60598-2-20:2015, AS/NZS 60598.2.20:2002 20.14	不测：压力水密灯具	2018-09-12
		7	绝缘电阻和电气强度	灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 14		2018-09-12
				灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014, EN 60598-2-20:2015, AS/NZS 60598.2.20:2002 20.15		2018-09-12
		8	爬电距离和电气间隙	灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 7		2018-09-12
				灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014, EN 60598-2-20:2015, AS/NZS 60598.2.20:2002 20.8		2018-09-12
		9	耐久性和热试验	灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 12		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014，EN 60598-2-20:2015， AS/NZS 60598.2.20:2002 20.13		2018-09-12
				10	耐热、耐火和耐起痕	灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 15
		灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014，EN 60598-2-20:2015， AS/NZS 60598.2.20:2002 20.16				2018-09-12
		11	接线端子		灯具 第 2-20 部分：特殊要求 灯串 GB 7000.9-2008 9	
				灯具 第 2-20 部分：特殊要求 灯串 IEC 60598-2-20:2014，EN 60598-2-20:2015， AS/NZS 60598.2.20:2002 20.10		2018-09-12
自镇流 LED 灯						
1	自镇流 LED 灯	1	标识	普通照明用 50V 以上自镇流 LED 灯 安全要求 GB 24906-2010 5		2018-09-12
				普通照明用 50V 以上自镇流 LED 灯 安全要求 IEC 62560: 2011+A1:2015		2018-09-12
				EN 62560:2012AS/NZS 62560:2017 5		2018-09-12
		2	意外接触带电部件的防护	普通照明用 50V 以上自镇流 LED 灯 安全要求 GB 24906-2010 7		2018-09-12
				普通照明用 50V 以上自镇流 LED 灯 安全要求 IEC 62560: 2011+A1:2015		2018-09-12
				EN 62560:2012AS/NZS 62560:2017 7		2018-09-12
3	潮湿处理后的绝缘电阻和介	普通照明用 50V 以上自镇流 LED 灯 安全要求 GB 24906-2010 8		2018-09-12		



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
			电强度	普通照明用 50V 以上自镇流 LED 灯 安全要求 IEC 62560: 2011+A1:2015 EN 62560:2012AS/NZS 62560:2017 8		2018-09-12
		4	机械强度	普通照明用 50V 以上自镇流 LED 灯 安全要求 GB 24906-2010 9		2018-09-12
				普通照明用 50V 以上自镇流 LED 灯 安全要求 IEC 62560: 2011+A1:2015 EN 62560:2012AS/NZS 62560:2017 9		2018-09-12
		5	防火与防燃	普通照明用 50V 以上自镇流 LED 灯 安全要求 GB 24906-2010 12		2018-09-12
				普通照明用 50V 以上自镇流 LED 灯 安全要求 IEC 62560: 2011+A1:2015 EN 62560:2012AS/NZS 62560:2017 12		2018-09-12
		6	爬电距离和电气间隙	普通照明用 50V 以上自镇流 LED 灯 安全要求 IEC 62560: 2011+A1:2015 EN 62560:2012AS/NZS 62560:2017 14		2018-09-12
LED 模块						
1	LED 模块	1	标志	普通照明用 LED 模块 安全要求 GB 24819-2009 7	只测：单相 LED 模块	2018-09-12
				普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014, EN 62031:2008+A1:2013+A2:2015 7		2018-09-12
		2	接线端子	普通照明用 LED 模块 安全要求 GB 24819-2009 8		2018-09-12
				普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014,		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				EN 62031:2008+A1:2013+A2:2015 8		
		3	保护接地装置	普通照明用 LED 模块 安全要求 GB 24819-2009 9 普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014, EN 62031:2008+A1:2013+A2:2015 9		2018-09-12
		4	防止意外接触带电部件的措施	普通照明用 LED 模块 安全要求 GB 24819-2009 10 普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014, EN 62031:2008+A1:2013+A2:201 10		2018-09-12
		5	防潮与绝缘	普通照明用 LED 模块 安全要求 GB 24819-2009 11 普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014, EN 62031:2008+A1:2013+A2:2015 11		2018-09-12
		6	介电强度	普通照明用 LED 模块 安全要求 GB 24819-2009 12 普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014, EN 62031:2008+A1:2013+A2:2015 12		2018-09-12
		7	故障状态	普通照明用 LED 模块 安全要求 GB 24819-2009 13 普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014, EN 62031:2008+A1:2013+A2:2015 13		2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期		
		序号	名称					
		8	结构	普通照明用 LED 模块 安全要求 GB 24819-2009 15		2018-09-12		
				普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014, EN 62031:2008+A1:2013+A2:2015 15		2018-09-12		
		9	爬电距离与电气间隙	普通照明用 LED 模块 安全要求 GB 24819-2009 16		2018-09-12		
				普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014, EN 62031:2008+A1:2013+A2:2015 16		2018-09-12		
		10	螺钉、载流部件和连接件	普通照明用 LED 模块 安全要求 GB 24819-2009 17		2018-09-12		
				普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014, EN 62031:2008+A1:2013+A2:2015 17		2018-09-12		
		11	耐热、防火及耐漏电起痕	普通照明用 LED 模块 安全要求 GB 24819-2009 18		2018-09-12		
				普通照明用 LED 模块 安全要求 IEC 62031:2008+A1:2012+A2: 2014, EN 62031:2008+A1:2013+A2:2015 18		2018-09-12		
		灯的控制装置						
		1	灯的控制装置	1	标志	灯的控制装置 第 1 部分:一般要求和安全要求 GB 19510.1-2009 7		2018-09-12
灯的控制装置 第 1 部分:一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347:2015+A1:2018 AS/NZS 61347.1:2016 7						2018-09-12		



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		2	接线端子	灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 8		2018-09-12
				灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 8		2018-09-12
		3	保护接地装置	灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 9		2018-09-12
				灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 9		2018-09-12
		4	防止意外接触带电的措施	灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 10		2018-09-12
				灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 10		2018-09-12
		5	防潮与绝缘	灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 11		2018-09-12
				灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 11		2018-09-12
		6	介电强度	灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 12		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 12		2018-09-12
				灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 13		2018-09-12
		7	镇流器绕组的耐热试验	灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 13		2018-09-12
				灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 14		2018-09-12
		8	故障状态	灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 14		2018-09-12
				灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 15		2018-09-12
		9	结构	灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 15		2018-09-12
				灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 16		2018-09-12
		10	爬电距离和电气间隙	灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017,		2018-09-12
				灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017,		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 16		
		11	螺钉、载流部件和连接件	灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 17 灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 17		2018-09-12 2018-09-12
		12	耐热、耐火和耐漏电起痕	灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 18 灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 18		2018-09-12 2018-09-12
		13	无负载输出电压	灯的控制装置 第1部分：一般要求和安全要求 GB 19510.1-2009 20 灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 20		2018-09-12 2018-09-12
		14	安全特低电压控制装置的特殊补充要求	灯的控制装置 第1部分：一般要求和安全要求 IEC 61347-1:2015+A1:2017, EN 61347-1:2015+A1:2018 AS/NZS 61347.1:2016 附录 L		2018-09-12
杂类电子线路						



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
1	杂类电子线路	1	标志	灯的控制装置 第 12 部分:与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 7		2018-09-12
				灯的控制装置 第 2-11 部分:与灯具联用的杂类电子线路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 7		2018-09-12
		2	接线端子	灯的控制装置 第 12 部分:与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 9		2018-09-12
				灯的控制装置 第 2-11 部分:与灯具联用的杂类电子线路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 9		2018-09-12
		3	保护接地装置	灯的控制装置 第 12 部分:与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 10		2018-09-12
				灯的控制装置 第 2-11 部分:与灯具联用的杂类电子线路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 10		2018-09-12
		4	防止意外接触带电的措施	灯的控制装置 第 12 部分:与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 8		2018-09-12
				灯的控制装置 第 2-11 部分:与灯具联用的杂类电子线路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 8		2018-09-12
		5	防潮与绝缘	灯的控制装置 第 12 部分:与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 11		2018-09-12
				灯的控制装置 第 2-11 部分:与灯具联用的杂类电子线路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 11		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		6	介电强度	灯的控制装置 第 12 部分：与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 12		2018-09-12
				灯的控制装置 第 2-11 部分：与灯具联用的杂类电子电路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 12		2018-09-12
		7	镇流器绕组的耐热试验	灯的控制装置 第 12 部分：与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 13		2018-09-12
				灯的控制装置 第 2-11 部分：与灯具联用的杂类电子电路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 13		2018-09-12
		8	故障状态	灯的控制装置 第 12 部分：与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 14		2018-09-12
				灯的控制装置 第 2-11 部分：与灯具联用的杂类电子电路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 14		2018-09-12
		9	结构	灯的控制装置 第 12 部分：与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 15		2018-09-12
				灯的控制装置 第 2-11 部分：与灯具联用的杂类电子电路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 15		2018-09-12
		10	爬电距离和电气间隙	灯的控制装置 第 12 部分：与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 16		2018-09-12
				灯的控制装置 第 2-11 部分：与灯具联用的杂类电子电路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 16		2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期
		序号	名称			
		11	螺钉、载流部件和连接件	灯的控制装置 第 12 部分：与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 17		2018-09-12
				灯的控制装置 第 2-11 部分：与灯具联用的杂类电子线路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 17		2018-09-12
		12	耐热、耐火和耐漏电起痕	灯的控制装置 第 12 部分：与灯具联用的杂类电子线路的特殊要求 GB 19510.12-2005 18		2018-09-12
				灯的控制装置 第 2-11 部分：与灯具联用的杂类电子线路的特殊要求 IEC 61347-2-11:2015+A1:2017 EN 61347-2-11:2001 18		2018-09-12
LED 模块用直流或交流电子控制装置						
1	LED 模块用直流或交流电子控制装置	1	标志	灯的控制装置 第 14 部分：LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 7		2018-09-12
				灯的控制装置 - 第 2-13 部分：LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 7		2018-09-12
				灯的控制装置 第 14 部分：LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 9		2018-09-12
		2	接线端子	灯的控制装置 - 第 2-13 部分：LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 9		2018-09-12
				灯的控制装置 第 14 部分：LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 10		2018-09-12
		3	保护接地装置			2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 10		2018-09-12
		4	防止意外接触带电的措施	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 8 灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 8		2018-09-12
		5	防潮与绝缘	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 11 灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 11		2018-09-12
		6	介电强度	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 12 灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 12		2018-09-12
		7	控制装置绕组的耐热试验	灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 GB 19510.14-2009 13 灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 13		
		8	故障状态	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 14 灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 14		2018-09-12 2018-09-12
		9	结构	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 17 灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 16		2018-09-12 2018-09-12
		10	爬电距离和电气间隙	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 18 灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 17		2018-09-12 2018-09-12
		11	螺钉、载流部件和连接件	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 19 灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 18		2018-09-12 2018-09-12



序号	检测对象	项目 / 参数		检测标准（方法）	说明	生效日期		
		序号	名称					
		12	耐热、耐火和耐漏电起痕	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 20		2018-09-12		
				灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 19		2018-09-12		
		13	变压器加热试验	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 15		2018-09-12		
				灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 15		2018-09-12		
		14	异常状态	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 16		2018-09-12		
		15	任意负载状态下的最大工作电压	灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 21		2018-09-12		
		16	LED 模块用独立式安全特低电压直流或交流电子控制装置的特殊补充要求	灯的控制装置 第 14 部分:LED 模块用直流或交流电子控制装置的特殊要求 GB 19510.14-2009 附录 I		2018-09-12		
				灯的控制装置 - 第 2-13 部分:LED 模块用直流/交流电子控制装置的特殊要求 IEC 61347-2-13:2014+A1:2016 EN 61347-2-13:2014+A1:2017 AS/NZS 61347.2.13:2013 附录 I		2018-09-12		
		十二、变压器、电源及相关配件						



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
变压器、电源及类似设备						
1	变压器、电源及类似设备	1	标志和其他信息	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 8	不测：三相变压器	2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 8	不测：三相变压器	2018-09-12
		2	触及危险带电零部件的防护	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 9		2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 9		2018-09-12
		3	输入电压设定值的改变	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 10	只测：额定容量 ≤20kVA	2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 10	只测：额定容量 ≤20kVA	2018-09-12
		4	负载输出电压和输出电流	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 11	只测：额定容量 ≤20kVA	2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 11	只测：额定容量 ≤20kVA	2018-09-12



No. CNAS L6481

第 81 页 共 103 页

在线扫码获取验证

序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		5	空载输出电压	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 12	只测：额定容量 $\leq 20\text{kVA}$	2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 12	只测：额定容量 $\leq 20\text{kVA}$	2018-09-12
		6	短路电压	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 13	只测：额定容量 $\leq 20\text{kVA}$	2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 13	只测：额定容量 $\leq 20\text{kVA}$	2018-09-12
		7	发热	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 14	只测：额定容量 $\leq 20\text{kVA}$ 不测：14.3 对未说明绝缘系统等级的加速老化试验	2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 14	只测：额定容量 $\leq 20\text{kVA}$ 不测：14.3 对未说明绝缘系统等级的加速老化试验	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		8	短路和过载保护	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 15	只测：额定容量 $\leq 20\text{kVA}$	2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 15	只测：额定容量 $\leq 20\text{kVA}$	2018-09-12
		9	机械强度	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 16		2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 16		2018-09-12
		10	防止灰尘、固体异物和潮湿有害进入的防护	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 17		2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 17		2018-09-12
		11	绝缘电阻和介电强度	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 18	不测：18.4 绕组之间和绕组内部的绝缘	2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 18	不测：18.4 绕组之间和绕组内部的绝缘	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		12	结构	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 19	不测：19.9 氧弹试验	2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 19	不测：19.9 氧弹试验	2018-09-12
		13	内部布线	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 21		2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 21		2018-09-12
		14	电源连接和其他外部软电缆或软线	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 22		2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 22		2018-09-12
		15	外部导线接线端子	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 23		2018-09-12
				电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 23		2018-09-12
		16	保护接地装置	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 24		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				电力变压器、电源、电抗器及类似设备的安全--第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 24		2018-09-12
		17	螺钉和连接	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 25 电力变压器、电源、电抗器及类似设备的安全--第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 25		2018-09-12
		18	爬电距离、电气间隙和贯通绝缘距离	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 26 电力变压器、电源、电抗器及类似设备的安全--第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 26		2018-09-12
		19	耐热、耐燃和耐电痕化	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 27 电力变压器、电源、电抗器及类似设备的安全--第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 27		2018-09-12
		20	灼热丝试验	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 附录 E 电力变压器、电源、电抗器及类似设备的安全--第1部分：一般要求和试验 IEC 61558-1:2017		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 附录 E		
		21	电痕化试验	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 附录 G 电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 附录 G		2018-09-12
		22	电子电路	变压器、电抗器、电源装置及其组合的安全 第1部分：通用要求和试验 GB/T 19212.1-2016 附录 H 电力变压器、电源、电抗器及类似设备的安全—第1部分：一般要求和试验 IEC 61558-1:2017 EN 61558-1:2006+A1:2009 AS/NZS 61558.1:2008+A2:2015 附录 H		2018-09-12
一般用途安全隔离变压器						
1	一般用途安全隔离变压器	1	标志和其他信息	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 8 电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 8	不测：三相变压器 不测：三相变压器	2018-09-12 2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		2	触及危险带电零部件的防护	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB 19212.7-2012 9		2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 9		2018-09-12
		3	输入电压设定值的改变	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 10	只测：额定容量 ≤20kVA	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 10	只测：额定容量 ≤20kVA	2018-09-12
		4	负载输出电压和输出电流	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 11	只测：额定容量 ≤20kVA	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安	只测：额定容量 ≤20kVA	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 11		
		5	空载输出电压	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 12	只测：额定容量 ≤20kVA	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全--第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 12	只测：额定容量 ≤20kVA	2018-09-12
		6	短路电压	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 13	只测：额定容量 ≤20kVA	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全--第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 13	只测：额定容量 ≤20kVA	2018-09-12
		7	发热	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内	只测：额定容量 ≤20kVA	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
			中国合格评定国家认可委员会	装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 14	不测：14.3 对未说明绝缘系统等级的加速老化试验	
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 14	只测：额定容量 ≤20kVA 不测：14.3 对未说明绝缘系统等级的加速老化试验	
		8	短路和过载保护	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 15	只测：额定容量 ≤20kVA	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 15	只测：额定容量 ≤20kVA	2018-09-12
		9	机械强度	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 16		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 16		2018-09-12
		10	防止灰尘、固体异物和潮湿有害进入的防护	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 17 电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 17		2018-09-12
		11	绝缘电阻和介电强度	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 18 电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 18	不测：18.4 绕组之间和绕组内部的绝缘 不测：18.4 绕组之间和绕组内部的绝缘	2018-09-12 2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		12	结构	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 19	不测：19.9 氧弹试验	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 19	不测：19.9 氧弹试验	2018-09-12
		13	内部布线	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 21		2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 21		2018-09-12
		14	电源连接和其他外部软电缆或软线	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 22		2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安		2018-09-12



No. CNAS L6481

第 91 页 共 103 页

序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 22		
		15	外部导线接线端子	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 23		2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全--第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 23		2018-09-12
		16	保护接地装置	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 24		2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全--第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 24		2018-09-12
		17	螺钉和连接	电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内		2018-09-12
				置和类似产品的安全 第 7 部分：安全隔离变压器和内		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		17	中国合格评定国家认可委员会 可 证 书 附 件	装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 25		
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 25		2018-09-12
				电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 26		2018-09-12
		18	爬电距离、电气间隙和贯通绝缘距离	电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009 EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 26		2018-09-12
				电源电压为 1100 V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 7 部分：安全隔离变压器和内装安全隔离变压器的电源装置的特殊要求和试验 GB/T 19212.7-2012 27		2018-09-12
		19	耐热、耐燃和耐电痕化	电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全—第 2-6 部分：安全隔离变压器和装有安全隔离变压器的电源装置的特殊要求和试验 IEC 61558-2-6:2009		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				EN 61558-2-6:2009 AS/NZS 61558.2.6:2009+A1:2012 27		
开关电源和用于开关电源的变压器						
1	开关电源和用于开关电源的变压器	1	标志和其他信息	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 8	不测:三相变压器	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013 EN 61558-2-16:2009+A1:2013 AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 8	不测:三相变压器	2018-09-12
		2	触及危险带电零部件的防护	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 9		2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013 EN 61558-2-16:2009+A1:2013		2018-09-12



No. CNAS L6481

第 94 页 共 103 页

序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 9		
		3	中国合格评定国家认可证书附件 输入电压设定值的改变	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 10	只测: 额定容量 ≤20kVA	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013	只测: 额定容量 ≤20kVA	2018-09-12
				EN 61558-2-16:2009+A1:2013		
		4	负载输出电压和输出电流	AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 10		
				电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 11	只测: 额定容量 ≤20kVA	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013	只测: 额定容量 ≤20kVA	2018-09-12
				EN 61558-2-16:2009+A1:2013		
				AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 11		



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
		5	空载输出电压	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 12	只测: 额定容量 ≤20kVA	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013	只测: 额定容量 ≤20kVA	2018-09-12
				EN 61558-2-16:2009+A1:2013		
		6	短路电压	AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 12		
				电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 13	只测: 额定容量 ≤20kVA	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013	只测: 额定容量 ≤20kVA	2018-09-12
				EN 61558-2-16:2009+A1:2013		
		7	发热	AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 13		
				电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开	只测: 额定容量 ≤20kVA	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
			中国合格评定国家认可委员会	关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 14	不测：14.3 对未说明绝缘系统等级的加速老化试验	
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分：开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013	只测：额定容量 $\leq 20\text{kVA}$	
				EN 61558-2-16:2009+A1:2013	不测：14.3 对未说明绝缘系统等级的加速老化试验	
		8	短路和过载保护	AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 14		2018-09-12
				电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分：开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 15	只测：额定容量 $\leq 20\text{kVA}$	
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分：开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013		
		9	机械强度	EN 61558-2-16:2009+A1:2013	只测：额定容量 $\leq 20\text{kVA}$	2018-09-12
				AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 15		
				电源电压为 1 100V 及以下的变压器、电抗器、电源装		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 16		
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013		2018-09-12
				EN 61558-2-16:2009+A1:2013		
				AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 16		
		10	防止灰尘、固体异物和潮湿有害进入的保护	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 17		2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013		
				EN 61558-2-16:2009+A1:2013		2018-09-12
				AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 17		
		11	绝缘电阻和介电强度	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T	不测: 18.4 绕组之间和绕组内部的绝缘	2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				19212.17-2013 18		
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分：开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013	不测：18.4 绕组之间和绕组内部的绝缘	2018-09-12
				EN 61558-2-16:2009+A1:2013		
				AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 18		
		12	结构	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分：开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 19	不测：19.9 氧弹试验	2018-09-12
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分：开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013	不测：19.9 氧弹试验	2018-09-12
				EN 61558-2-16:2009+A1:2013		
				AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 19		
		13	内部布线	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分：开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 21		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分：开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013 EN 61558-2-16:2009+A1:2013 AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 21		2018-09-12
		14	电源连接和其他外部软电缆或软线	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分：开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 22 电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分：开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013 EN 61558-2-16:2009+A1:2013 AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 22		2018-09-12
		15	外部导线接线端子	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分：开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 23 电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分：开关式电源装置用开关式		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013 EN 61558-2-16:2009+A1:2013 AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 23		
		16	保护接地装置	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 24 电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013 EN 61558-2-16:2009+A1:2013 AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 24		2018-09-12 2018-09-12
		17	螺钉和连接	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 25 电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013		2018-09-12 2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				EN 61558-2-16:2009+A1:2013 AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 25		
		18	爬电距离、电气间隙和贯通绝缘距离	电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 26 电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013 EN 61558-2-16:2009+A1:2013		2018-09-12
		19	耐热、耐燃和耐电痕化	AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 26 电源电压为 1 100V 及以下的变压器、电抗器、电源装置和类似产品的安全 第 17 部分:开关型电源装置和开关型电源装置用变压器的特殊要求和试验 GB/T 19212.17-2013 27 电源电压 1100V 以下的变压器、电抗器、电源装置和类似产品的安全 第 2-16 部分: 开关式电源装置用开关式电源装置和变压器的特殊要求和试验 IEC 61558-2-16:2009+A1:2013 EN 61558-2-16:2009+A1:2013		2018-09-12



序号	检测对象	项目/参数		检测标准（方法）	说明	生效日期
		序号	名称			
				AS/NZS 61558.2.16:2010+A1:2010+A2:2012+A3:2014 27		
十三、玩具及儿童用品						
玩具及儿童用品						
1	玩具及儿童用品	1	电性能	电玩具的安全 GB 19865-2005 条款：7 标识和说明 8 输入功率 9 发热和非正常工作 10 工作温度下的电气强度 11 耐潮湿 12 室温下的电气强度 13 机械强度 14 结构 15 软线和电线的保护 16 元件 17 螺钉和连接 18 电气间隙和爬电距离 19 耐热和耐燃 附录 B 针焰试验	不测：12 有轮骑乘玩具	2018-09-12
				电玩具的安全 IEC 62115:2003+A1:2004+A2:2010, EN 62115-2005+A2:2011+A11:2012+A12:2015, AS/NSZ 62115:2011 条款 7 标识和说明 8 输入功率 9 发热和非正常工作 10 工作温度下的电气强度 11 耐潮湿 12 室温下的电气强度 13 机械强度 14 结构 15 软线和电线的保护 16 元件 17 螺钉和连接 18 电气间隙和爬电距离 19 耐热和耐燃 附录 B 针焰试验	不测：有轮骑乘玩具	2018-09-12
		2	机械和物理性能	儿童使用和护理用品. 饮水用具. 一般和机械要求及试验 BS EN 14350-1-2004 5.5 撕破抵抗力		2018-09-12
				儿童使用和护理用品 刀叉和喂养工具 安全要求和试验 EN 14372-2004 5.3.1 抗拉强度, 5.3.4 刚度与硬度		2018-09-12

